

# RECOMMANDATIONS IMPORTANTES A LIRE POUR ACTIVER LES REMBOURSEMENTS ET EVITER LES REJETS

## conditions générales :

- Le cadre réservé à l'adhérent doit être dûment renseigné.
- Le cadre réservé au médecin doit être renseigné par le praticien lui-même notamment la nature de la maladie.
- La validité de la feuille de soins est limitée à 3 mois à compter de la première consultation.
- L'entente préalable est exigée pour toute hospitalisation médicale, chirurgicale, soins dentaires spéciaux extractions multiples, parodontie orthodontie, prothèses dentaires, prothèses auditives ou orthopédiques ainsi que pour tous les actes effectués en série.
- En cas d'accident, une déclaration précisant les causes et circonstances de l'accident est à joindre à la feuille de soins.

## pharmacie :

- Les vignettes des médicaments doivent être obligatoirement jointes aux ordonnances.
- Pour les médicaments sans vignettes une facture de la pharmacie doit être jointe.

## radiologie et Biologie :

- La facture ainsi qu'une copie des résultats des analyses ou du compte rendu [sous pli confidentiel] doivent être jointes à l'ordonnance médicale pour toute demande de remboursement.
- Un pli confidentiel du médecin prescripteur des analyses ou radios peut être demandé par le médecin conseil de la mutuelle.

## optique :

- L'ordonnance du médecin prescripteur et la facture de l'opticien sont à joindre à la feuille de soins.

## rééducation :

- L'entente préalable renseignée par le médecin prescripteur est exigée avant le début des séances de rééducations.
- Pour le remboursement, la facture et le calendrier des séances effectuées sont à joindre à la feuille de soins.

## Dentaire :

- En cas de prothèses ou de traitement canalaires, l'accord préalable renseigné sur la feuille de soins est obligatoire avant le début de traitement.
- La facture doit être jointe à la feuille de soins pour toute demande de remboursement.
- La radio-après soins est obligatoire en cas de prothèses ou de traitement canalaires.

## Maladie et Affection Longue Durée ALD et ALC :

- La déclaration de maladie chronique doit être renseignée par le médecin prescripteur et renouvelée tous les 6 mois.

## Adresses Mails utiles

- |                                  |                       |
|----------------------------------|-----------------------|
| Réclamation                      | : contact@mupras.com  |
| Prise en charge                  | : pec@mupras.com      |
| Adhésion et changement de statut | : adhesion@mupras.com |

MUPRAS garantit le respect de la loi n° 09-08 relative à la protection des personnes physiques à l'égard du traitement des données à caractère personnel.

Maladie

Dentaire

Optique

(22631)  Autres

### Cadre réservé à l'adhérent(e)

Matricule : 5029

Société :

Actif

Pensionné(e)

Autre :

Nom & Prénom : ASSAB ABDALLAH

Date de naissance : 1951

Adresse : 282 lot HAJ FATEH - OULFA

Tél. : 0662.81.36.55

Total des frais engagés : 6210

Dhs

### Cadre réservé au Médecin

Cachet du médecin :



Date de consultation : 08/01/2020

Nom et prénom du malade : ASSAB ABDALLAH Age: 69ans

Lien de parenté :  Lui-même  Conjoint  Enfant

Nature de la maladie : DIABETE

En cas d'accident préciser les causes et circonstances :

Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous pli confidentiel à l'attention du médecin conseil de la Mutuelle.

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Fait à : CASABLANCA

Le : 08/01/2020

Signature de l'adhérent(e) :



## RELEVE DES FRAIS ET HONORAIRES

Dates des Actes	Natures des Actes	Nombre et Coefficient	Montant détaillé des Honoraires	Cachet et signature du Médecin attestant le Paiement des Actes
04/01/2020	Référ.		Gr 5	Dr Ghita MAMOU Spécialiste en Endocrinologie Nutrition Roudani 230 Bc, Roumanie Etage N° 19 Tél. : 05 22 23 70 71
08/01/2020	Cs	,	300 CHF	Dr Ghita MAMOU Spécialiste en Endocrinologie Nutrition Roudani 230 Bc, Roumanie Etage N° 19 Tél. : 05 22 23 70 71

## **EXECUTION DES ORDONNANCES**

Cachet du Pharmacien ou du Fournisseur	Date	Montant de la Facture
<b>STE PHARMACIE HAMZA CASABLANCA</b> Lotis. Ha fatich Roudan N° 3 Lop 64 Casablanca - Tel: 0322 93 10 00 <b>STE PHARMACIE HAMZA CASABLANCA</b>	08/01/2020	4417.60

Lotsis, Hafsatoh Dina - 100

Casablanca - 201 - ANALYSES

signature du

#### **ANALYSES - RADIOGRAPHIES**

Cachet et signature du Laboratoire et du Radiologue	Date	Désignation des Coefficients	Montant des Honoraires
Dr. D. M. LOUBIA Laboratory of Medical Analysis 501 lor Ha'arach, Oulta Casablanca 0522 44 300 ray (0522) 900 700	6/10/80	R.M.S.	150.00 dr


## AUXILIAIRES MEDICAUX

## RELEVE DES FRAIS ET HONORAIRES

Le praticien est prié de préciser la dent traitée, l'acte pratiqué en indiquant la nature des soins.

#### **Important :**


Veuillez joindre les radiographies en cas de prothèses ou de traitement canalaires, ainsi que le bilan de l'odontologie.



O.D.F  
PROTHESES DENTAIRES

## DETERMINATION DU CŒFFICIENT MASTICATOIRE

H	
25533412	21433552
00000000	00000000
00000000	00000000
35533411	11433553



**(Création, remont, adjonction)**

ctionnel. Thérapeutique nécessaire à la profession

ANSWER

VISA ET CACHET DU PRATICIEN ATTESTANT L'EXECUTION

# Dr. Ghita MAMOU

Spécialiste en Endocrinologie, Diabétologie,  
Maladies métaboliques et Nutrition

Diabète, Cholestérol, Obésité, Thyroïde, Goître  
Troubles de la croissance et de la puberté  
Pathologies surrénauliennes et hypophysaires



الدكتورة غيثة مامو

أخصائية في أمراض الغدد والسكري  
أمراض الأيض وطب التغذية

مرض السكري، الكوليستيرول، السمنة

الغدة الدرقية، اختلالات النمو، الغدة النخامية

Casablanca, le :

8/11/2020

Nom : Dr Assar Abdellah  
 $120.00 \times 1$   
 Bactelettes glycémiques  $\times 6$  /  
 $581.00 \times 3$  + lancets  $\times 6$  /  
 Novomix 30 Japon



22 VI matin

STE PHARMACIE HAMZA  
CASABLANCA

Lots. Haj fateh Rue 6 N° 3 Lot. 64  
Casablanca - Tél: 0522 93 10 29

20 VI midi

$647.00 \times 2$   
 Novrapid Japon



Att 3mm

18 VI à midi

Quigelle BD 4ml  $\times 3$  /  
 $13.40 \times 3$   
 Levofloxa 50 .

Dr. Ghita MAMOU  
Spécialiste en Endocrinologie  
Diabétologie Maladies Métaboliques  
Espace Roudani 230 Bd Roudani 4ème Etage N° 19  
Casablanca - Tel. : 05 22 23 70 71



$6.80 \times 3$  /  
 Levofloxa 25 1 /  
 6.80 /  
 144.40 / 60

فضاء الروداني، 230 شارع الروداني (طريق الجديدة سابقا) - الطابق الرابع - رقم 19 - الدار البيضاء - الهاتف :

Espace Roudani, 230 Bd Roudani (ex Route d'El Jadida) - 4ème étage - N° 19 - Casablanca - Tél.: 05 22 23 70 71

E-mail : mamoughita@gmail.com

8-9670-73-270-1

**NovoRapid® FlexPen®**  
100U/ml  
Solution injectable  
5 stylos pré-remplis de 3ml  
PPV : 647 DH



6 118001 121304

8-9670-73-270-1

**NovoRapid® FlexPen®**  
100U/ml  
Solution injectable  
5 stylos pré-remplis de 3ml  
PPV : 647 DH



6 118001 121304

8-9674-73-270-1

**NovoMix® 30 FlexPen®**  
100U/ml  
Suspension injectable  
5 stylos pré-remplis de 3ml  
PPV : 581 DH



6 118001 121298

8-9674-73-270-1

**NovoMix® 30 FlexPen®**  
100U/ml  
Suspension injectable  
5 stylos pré-remplis de 3ml  
PPV : 581 DH



6 118001 121298

8-9674-73-270-1

**NovoMix® 30 FlexPen®**  
100U/ml  
Suspension injectable  
5 stylos pré-remplis de 3ml  
PPV : 581 DH



6 118001 121298

6 118001 102006  
Levothyrox® 25 µg,  
Comprimés sécables B/30  
PPV: 6,80 DH

7862160335

6 118001 102013  
Levothyrox® 50µg,  
Comprimés sécables B/30  
PPV: 13,40 DH

7862160336

6 118001 102013  
Levothyrox® 50µg,  
Comprimés sécables B/30  
PPV: 13,40 DH

7862160336

6 118001 102006  
Levothyrox® 25 µg,  
Comprimés sécables B/30  
PPV: 6,80 DH

7862160335

6 118001 102013  
Levothyrox® 50µg,  
Comprimés sécables B/30  
PPV: 13,40 DH

7862160336

6 118001 102006  
Levothyrox® 25 µg,  
Comprimés sécables B/30  
PPV: 6,80 DH

7862160335

**Dr. Ghita MAMOU**

Spécialiste en Endocrinologie, Diabétologie,  
Maladies métaboliques et Nutrition

Diabète, Cholestérol, Obésité, Thyroïde, Goitre  
Problèmes de la croissance et de la puberté  
Pathologies surrenaliennes et hypophysaires



**الدكتورة غيثة مامو**

أخصائية في أمراض الغدد والسكري  
أمراض الأيض وطب التغذية

مرض السكري، الكوليستيرول، السمنة  
الغدة الدرقية، اختلالات النمو، الغدة النخامية

Casablanca, le : 04/01/2020

Nom : Dr. ASSAB Abdallah

GAF

Hb A1C

Dr. DOUAI LAK  
Laboratoire d'ANALYSES TOURNAN  
101, rue Haï-atch, Oujda  
Médical Laboratory  
Casablanca (0522) 900 77

Dr. Ghita MAMOU  
Spécialiste en Endocrinologie  
Diabétologie Métabolique - Métaboliques  
Nitrarine 4ème étage N° 40  
Espace Roudani 230 Bd. Roudani Casablanca - Tel. 05 22 23 70 71

فضاء الروداني. 230 شارع الروداني (طريق الجديدة سابقا) - الطابق الرابع - رقم 19 - الدار البيضاء - الهاتف : 05 22 23 70 71  
Espace Roudani. 230 Bd Roudani (ex Route d'El Jadida) - 4ème étage - N° 19 - Casablanca - Tél.: 05 22 23 70 71  
E-mail : mamoughita@gmail.com

~~STE PHARMACIE HAMZA  
CASABLANCA~~

~~Lotto Haj fateh Rue 6 N° 3 Lot. 64  
Casablanca - Tél: 0522 93 10 28~~

Le 08/01/20

62

*Facture N°*

M. ASSAB ABde flah

# **LABORATOIRE D'ANALYSES MEDICALES DOUALAB**

**Dr DADOUNE Loubna**

Médecin biologiste

Biochimie - Hématologie - Immunologie

Parasitologie - Mycologie - Hormonologie - Virologie

301, Lotissement Haj Fatah Oulfa

(Près Rond point CHEHDIA)

Casablanca

Tél. : 0522 900 300 - Fax : 0522 900 700

Casablanca le 6 janvier 2020

Monsieur ASSAB ABDELLAH

FACTURE N°	167169
------------	--------

**Analyses :**


Glycémie (à jeûn) -----	B	20	
Hémoglobine glycosylée -----	B	90	Total : B 110
<b>Prélèvements :</b>			

Sang-----	Pc	1,5	
<b>TOTAL DOSSIER</b>			172,40 DH

Arrêtée la présente facture à la somme de :

Cent Soixante Douze Dirhams et Quarante Centimes

**DOUALAB**  
Dr. DADOUNE Loubna  
Laboratoire d'Analyses Médicales  
301, Lotissement Haj Fatah Oulfa Casablanca  
Tél. : 0522 900 300 - fax : 0522 900 700



Dr. DADOUNE Loubna  
Médecin biologiste

Biochimie - Hématologie - Bactériologie - Immunologie  
Parasitologie - Mycologie - Hormonologie - Virologie

# مختبر التحاليل المُحصّبة دُعاء لوب

## Laboratoire d'analyses médicales DOUALAB

Monsieur ASSAB ABDELLAH

Docteur GHITA MAMOU

Réf. : 20AFE

Dossier ouvert le : 06/01/20

Prélèvement effectué à 07:34

Edition du : 06/01/20

Page : 1/1

### Compte Rendu d'Analyses

#### BIOCHIMIE

		Normales	Antériorités
Glycémie à jeun -----:	2,19 * g/l	0,7 - 1,1	02/01/17
Soit :	12,2 mmol/l	3,9 - 6,1	0,88 4,9
Hémoglobine glycosylée ----- :	8,20 * %	3 - 6	17/07/18 8,10

7,2 (30/09/19)

DOUALAB  
Dr. DADOUNE Loubna  
Laboratoire d'Analyses Médicale  
Boulevard Hassan II, Oulata Casablanca  
Tél. : (0522) 900 300 - Fax : (0522) 900 700

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

GM300 use with  
GS300

GS300

2021-03-17  
2111941803  
LOT



# BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: info@bionime.com

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: info@bionime.ch



0197

GM300 use with  
GS300

GS300

**BIONIME**  
Blood Glucose Test Strip  
2021-03-17  
2111941803  
LOT



# BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)

CE  
0197

GM300 use with  
GS300

GS300

**BIONIME**  
Blood Glucose Test Strip  
2021-03-17  
2111941803  
LOT



# BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

GM300 use with  
GS300

GS300

**BIONIME**  
Blood Glucose Test Strip

2021-03-17  
2111941803



**BIONIME**  
Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

GM300 use with  
GS300

GS300

2021-03-17  
2111941803  
LOT



# BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

GM300 use with  
GS300

GS300

**BIONIME**  
Blood Glucose Test Strip

2021-03-17  
2111941803



**BIONIME**  
Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

GM300 use with  
GS300

GS300

2021-03-17  
2111941803  
LOT



# BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

GM300 use with  
GS300

GS300

**BIONIME**  
Blood Glucose Test Strip  
2021-03-17  
2111941803  
LOT



# BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)

CE  
0197

GM300 use with  
GS300

GS300

2021-03-17  
2111941803  
LOT



# BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

GM300 use with  
GS300

GS300

**BIONIME**  
Blood Glucose Test Strip

2021-03-17  
2111941803



**BIONIME**  
Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

For in vitro diagnostic use  
For self-testing and professional use  
- Store between temperature  
4°C and 30°C (39°F and 86°F)  
- Do not freeze  
- Use within 3 months of opening strip vial  
- Do not use if expiration date has passed  
- Do not use if seals are broken  
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0M5  
EN



# BIONIME

Blood Glucose Test Strip

## Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

# BIONIME

Blood Glucose Test Strip

## Features:

- User friendly design
- Only 1.4 µL blood sample required  
Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqeng St., South Dist.  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

BIONIME GmbH  
Tramstrasse 16, 9442 Bernbeck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

GM300 use with  
GS300

GS300

**BIONIME**  
Blood Glucose Test Strip  
2021-03-17  
2111941803  
LOT



# BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip  
(Smart Code Key included).

Rightest™ GS300