

RECOMMANDATIONS IMPORTANTES A LIRE POUR ACTIVER LES REMBOURSEMENTS ET EVITER LES REJETS

ditions générales :

Le cadre réservé à l'adhérent doit être dûment renseigné.

Le cadre réservé au médecin doit être renseigné par le praticien lui-même notamment la nature de la maladie.

La validité de la feuille de soins est limitée à 3 mois à compter de la première consultation.

L'entente préalable est exigée pour toute hospitalisation médicale, chirurgicale, soins dentaires spéciaux extractions multiples, parodontie orthodontie, prothèses dentaires, prothèses auditives ou orthopédiques ainsi que pour tous les actes effectués en série.

En cas d'accident, une déclaration précisant les causes et circonstances de l'accident est à joindre à la feuille de soins.

rmacie :

Les vignettes des médicaments doivent être obligatoirement jointes aux ordonnances.

Pour les médicaments sans vignettes une facture de la pharmacie doit être jointe.

ologie et Biologie :

La facture ainsi qu'une copie des résultats des analyses ou du compte rendu [sous pli confidentiel] doivent être jointes à l'ordonnance médicale pour toute demande de remboursement.

Un pli confidentiel du médecin prescripteur des analyses ou radios peut être demandé par le médecin conseil de la mutuelle.

que :

L'ordonnance du médecin prescripteur et la facture de l'opticien sont à joindre à la feuille de soins.

ducation :

L'entente préalable renseignée par le médecin prescripteur est exigée avant le début des séances de rééducations.

Pour le remboursement, la facture et le calendrier des séances effectuées sont à joindre à la feuille de soins.

aire :

En cas de prothèses ou de traitement canalaire, l'accord préalable renseigné sur la feuille de soins est obligatoire avant le début de traitement.

La facture doit être jointe à la feuille de soins pour toute demande de remboursement.

La radio-après soins est obligatoire en cas de prothèses ou de traitement canalaire.

die et Affection Longue Durée ALD et ALC :

La déclaration de maladie chronique doit être renseignée par le médecin prescripteur et renouvelée tous les 6 mois.



Déclaration de Maladie

Nº P19-0048484

Maladie

Dentaire

Optique

Autres

Cadre réservé à l'adhérent (e)

Matricule : 5079

Société : g0081

Actif Pensionné(e)

Autre :

Nom & Prénom : ASSAB ABOALLAY

Date de naissance :

Adresse : 189 lot HAJ FATEH - OUICFA - CASA

Tél. : 0662.107348 Total des frais engagés : 4509,60 Dhs

Cadre réservé au Médecin

Cachet du médecin :

Dr. ASMOOUN Ahmed
Spécialiste des Maladies de l'Appareil Digestif, Assistant Titulaire d'Endocrinologie et Diabète
Place de la 17 Novembre - R. Bd. Khemis, 2ème Fl., Derb Omar
Khartoum - Tél: 022.31.58.50/41

Date de consultation : 10/08/21

Nom et prénom du malade : ASSAB ABOALLAY Age :

Lien de parenté : Lui-même Conjoint, Enfant

Nature de la maladie :

En cas d'accident préciser les causes et circonstances :

Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous pli confidentiel à l'attention du médecin conseil de la Mutuelle.

28 OCT. 2021

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Fait à : CASA

Le : 02/08/2021

Signature de l'adhérent(e) :

RELEVE DES FRAIS ET HONORAIRES

Dates des Actes	Natures des Actes	Nombre et Coefficient	Montant détaillé des Honoraires	Cachet et signature du Médecin attestant le Paiement des Actes
2-08-2015		1	cautul	ASSENTI AMBUL
				Dr. Boudaoui Eduard

EXECUTION DES ORDONNANCES

Cachet du Pharmacien ou du Fournisseur	Date	Montant de la Facture
<p>PHARMACIE LA RÉSIDENCE Dr. ZOUTIRI Hassan 149, Angle Boulevard Résistance Rue Lahcen Taktar - Casablanca Tél: 0522 44 32 36</p>	2021-08-21	<p>CASABLANCA PHARMACIE LA RÉSIDENCE In. Zoutiri Hassan 149, Angle boulevard Résistance et Rue Lahcen Taktar - Casablanca Tel: 0522 44 31 50</p>

ANALYSES - RADIOGRAPHIES

Cachet et signature du Laboratoire et du Radiologue	Date	Désignation des Cœfficients	Montant des Honoraires

AUXILIAIRES MEDICAUX

Cachet et signature du Praticien	Date des Soins	Nombre				Montant détaillé des Honoraires
		A M	P C	I M	I V	

RELEVE DES FRAIS ET HONORAIRES

Le praticien est prié de préciser la dent traitée, l'acte pratiqué en indiquant la nature des soins.

Important

Veuillez joindre les radiographies en cas de prothèses ou de traitement canalaires, ainsi que le bilan de

O.D.F
PROTHESES DENTAIRES

DETERMINATION DU COEFFICIENT MASTICATOIRE

H	
25533412	21433552
00000000	00000000
D	C
00000000	00000000
35533411	11433553

[Création, remonté, adjonction]

Fonctionnel. Thérapeutique, nécessaire à la profession

The diagram illustrates the H-atom energy levels. The vertical axis represents the radial quantum number n , with levels labeled 1 through 7. The horizontal axis represents the angular momentum quantum number l , with values 0, 1, and 2 indicated. The radial levels are represented by concentric circles, and the angular momentum levels are represented by the number of nodes in each radial level. The nodes are shown as diagonal lines from the center.

CŒFFICIENT
DES TRAVAUX

MONTANTS DES SOINS

DATE DU
DEVIS

Dr ASMQUN Ahmed

SPECIALISTE DES MALADIES DE L'APPAREIL DIGESTIF

ESTOMAC, FOIE, INTESTIN

Chirurgie anale: Hérmorroides, Fistules, Fissures

Endoscopie digestive

Ex ASSISTANT TITULAIRE D'ENDOCRINOLOGIE ET DIABÈTE.

Ex ENSEIGNANT A LA FACULTE DE MEDECINE DE

CASABLANCA

الدكتور أسمون أحمد

إخلاصي في أمراض الجهاز الهضمي

جراحة المخرج والبواسر

داخلي سابقا بقسم أمراض السكر والغدد

مدرس سابقا بكلية الطب

PHARMACIE LA RÉSIDENCE

Dr. ZOUIFENE Hassan

149, Angle Bd de la Résistance

et Bd El Khouribga - Casablanca

Tel: 05 22 44 57 50

بالدار البيضاء

Casablanca le : ٢٠٨٢١ الدار البيضاء في :

ASSAS AB AHULLAH

$$559,00 \times 3 = 1677,00$$

- Novo Nirox 30 Flap x 100 N.



un végétal 2 mois
MVI 50.0

$$571,00 \times 2 = 1142,00$$

- Novorapid Flap x 100 N.



$$13,40 \times 2 = 26,80 \quad u v i m . s i 2 m o i s$$

- Uva Myrox 50 mg; am. 1



~~6,80 = 13,60~~ - Levophy nor w. 
- jpt, 1,  Mu's


~~97,80 = 1462,50~~ - Bonshill N. 

~~149,00~~ - Microfine Lurus N. 

~~92,90~~ - Dr. ZOUITENE Hassan 
PHARMACIE LA RÉSIDENCE
Dr. ZOUITENE Hassan
149, Anglo Bd de la Résidence
et Rue Lahcen Ouardi Casablanca
Tel: 0522 44 57 50

~~15,80~~ - Dr. El Moudi N 1 

~~45,09,60~~ - Dr. ZOUITENE Hassan 
PHARMACIE LA RÉSIDENCE
Dr. ZOUITENE Hassan
149, Anglo Bd de la Résidence
et Rue Lahcen Ouardi Casablanca
Tel: 0522 44 57 50

~~21,12,20~~ - Dr. ZOUITENE Hassan 
PHARMACIE LA RÉSIDENCE
Dr. ZOUITENE Hassan
149, Anglo Bd de la Résidence
et Rue Lahcen Ouardi Casablanca
Tel: 0522 44 57 50


~~Dr. ASMOUDI Ahmed~~
~~Spécialiste des Maladies de l'Appareil~~
~~Digestif et de la Diabète~~
~~Place de la Kasbah 2000 Dierh Omar~~
~~Khouribga 12 Casablanca Tel: 022.31.58.50/41~~

P R V 1 3 D H 8
F E P 0 0 7 2
E D 0 0 0 0
45,80



6 118001 102006
Levthyrox® 25 µg,
Comprimés sécables B/30
PPV: 6,80 DH

7862160335



6 118001 102006
Levthyrox® 25 µg,
Comprimés sécables B/30
PPV: 6,80 DH

7862160335



6 118001 102013
Levthyrox® 50µg,
Comprimés sécables B/30
PPV: 13,40 DH

7862160336



bronchokod

sans sucre


Adultes

LOT:1133
PER:11/22
PPV:22.90DH



6 118001 102013
Levthyrox® 50µg,
Comprimés sécables B/30
PPV: 13,40 DH

7862160336





BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 μL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4710627337828

BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME

Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



4°C

Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300



Use with Rightest™ GM300

101-2GS300-0MS
EN



BIONIME Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.
2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300

4 710627 337828

BIONIME Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4 µL blood sample required
- Less blood means less pain
- Noble Metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION
No. 100, Sec. 2, Daqing St., South Dist,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
<http://www.bionime.com>
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



0197

GM300 use with
GS300

GS300



BIONIME

Blood Glucose Test Strip

2021-06-03

211370501



BIONIME Blood Glucose Test Strip

50 PCS (2 vials of 25)



Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME Blood Glucose Test Strip

For *in vitro* diagnostic use
For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with Rightest™ GM300

101-2GS300-0MS
EN



Verification du fonctionnement du dispositif

1. Eliminez l'air.
2. Avant de procéder à la vérification du fonctionnement, assurez-vous que la Stylo à Insuline contient suffisamment d'insuline.
3. Installez solidement le couvre-aiguille externe sur l'aiguille à découvert.
4. Tenez le dispositif à la verticale, en pointant l'aiguille vers le bas, et administrez d'insuline.
5. La partie inférieure du couvre-aiguille externe devrait être remplie d'insuline, à défaut, revérifiez le fonctionnement avec une nouvelle aiguille.


Mode d'emploi :

Enlevez et jetez l'aiguille immédiatement après chaque injection. N'utilisez pas une aiguille dont le dique de protection est manquant ou endommagé. Prenez garde à ne pas courber ou endommager l'aiguille avant utilisation.

Pour usage unique, Stérilisé à l'oxyde d'éthylène.

Dispositif stérile garanti si le sceau de l'aiguille est intact.

Les aiguilles Ibrafine ont été spécialement conçues pour être utilisées avec les Stylos à Insuline et les dispositifs d'injection d'insuline (Le système intégré™).



BDM

CODE: I23105
LOT: 862A63
01/2020
01/2025

CE 1984
STERILE EO
Single Use Pen Needles
Sterile
Non Toxic
Non Pyrogenic

4

8-9670-73-270-2

NovoRapid® FlexPen®
100 U/ml
Solution injectable
5 stylos pré-remplis de 3 ml
PPV : 571,00 DHS



6 118001 121304