

# RECOMMANDATIONS IMPORTANTES A LIRE POUR ACTIVER LES REMBOURSEMENTS ET EVITER LES REJETS

## Conditions générales :

- Le cadre réservé à l'adhérent doit être dûment renseigné.
- Le cadre réservé au médecin doit être renseigné par le praticien lui-même notamment la nature de la maladie.
- La validité de la feuille de soins est limitée à 3 mois à compter de la première consultation.
- L'entente préalable est exigée pour toute hospitalisation médicale, chirurgicale, soins dentaires spéciaux, extractions multiples, parodontie orthodontie, prothèses dentaires, prothèses auditives ou orthopédiques ainsi que pour tous les actes effectués en série.
- En cas d'accident, une déclaration précisant les causes et circonstances de l'accident est à joindre à la feuille de soins.

## Pharmacie :

- Les vignettes des médicaments doivent être obligatoirement jointes aux ordonnances.
- Pour les médicaments sans vignettes une facture de la pharmacie doit être jointe.

## Radiologie et Biologie :

- La facture ainsi qu'une copie des résultats des analyses ou du compte rendu (sous pli confidentiel) doivent être jointes à l'ordonnance médicale pour toute demande de remboursement.
- Un pli confidentiel du médecin prescripteur des analyses ou radios peut être demandé par le médecin conseil de la mutuelle.

## Optique :

- L'ordonnance du médecin prescripteur et la facture de l'opticien sont à joindre à la feuille de soins.

## Rééducation :

- L'entente préalable renseignée par le médecin prescripteur est exigée avant le début des séances de rééducations.
- Pour le remboursement, la facture et le calendrier des séances effectuées sont à joindre à la feuille de soins.

## Dentaire :

- En cas de prothèses ou de traitement canalaires, l'accord préalable renseigné sur la feuille de soins est obligatoire avant le début de traitement.
- La facture doit être jointe à la feuille de soins pour toute demande de remboursement.
- La radio-après soins est obligatoire en cas de prothèses ou de traitement canalaires.

## Maladie et Affection Longue Durée ALD et ALC :

- La déclaration de maladie chronique doit être renseignée par le médecin prescripteur et renouvelée tous les 6 mois.

## Adresses Mails utiles

- Réclamation : contact@mupras.com
- Prise en charge : pec@mupras.com
- Adhésion et changement de statut : adhesion@mupras.com

La MUPRAS garantit le respect de la loi n° 09-08 relative à la protection des personnes physiques à l'égard du traitement des données à caractère personnel.

**MUPRAS** : Centre Allal Ben Abdellah - 6ème Etage Angle Rue Mohamed Fakir et Rue Allal Ben Abdellah - Quartier de l'Horloge Casablanca 20000 - Tél. : 05 22 20 45 45 (LG) - Fax : 05 22 22 78 18 - www.mupras.com



## Déclaration de Maladie

N° M20- 0003005

☐ Maladie

☐ Dentaire

☐ Optique

☐ Autres

### Cadre réservé à l'adhérent (e)

Matricule : 1386 Société : Rm  
☐ Actif ☒ Pensionné(e) ☐ Autre :  
 Nom & Prénom : LIDA DI BRAHIM  
 Date de naissance : 01 06 1953  
 Adresse : LOT EL KHAFAA N°1125 DEROUA  
 Tél. : 06 61 30 59 89 Total des frais engagés : 642, M Dhs

### Cadre réservé au Médecin

Cachet du médecin :

Date de consultation : / /  
 Nom et prénom du malade : LIDA DI BRAHIM Age :  
 Lien de parenté : ☐ Lui-même ☒ Conjoint ☐ Enfant  
 Nature de la maladie : Malade chronique  
 En cas d'accident préciser les causes et circonstances :

Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous pli confidentiel à l'attention du médecin conseil de la Mutuelle.

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Fait à : Braour Le : 09 / 03 / 2023  
 Signature de l'adhérent(e) :

Autorisation CNDP N° : A-A-215 / 2019





### RELEVÉ DES FRAIS ET HONORAIRES

Dates des Actes	Natures des Actes	Nombre et Coefficient	Montant détaillé des Honoraires	Cachet et signature du Médecin attestant le Paiement des Actes

### EXECUTION DES ORDONNANCES

Cachet du Pharmacien  
ou du Fournisseur

Date

Montant de la Facture



PHARMACIE  
DE L'AÉROGARE  
MOHAMMED V

Tél: 05 20 76 70 70

092105493

### ANALYSES - RADIOGRAPHIES

Cachet et signature du  
Laboratoire et du Radiologue

Date

Désignation des  
Coefficients

Montant  
des Honoraires

### AUXILIAIRES MEDICAUX

Cachet et signature  
du Praticien

Date des  
Soins

Nombre

A M

P C

I M

I V

Montant détaillé  
des Honoraires

### RELEVÉ DES FRAIS ET HONORAIRES

Le praticien est prié de préciser la dent traitée, l'acte pratiqué en indiquant la nature des soins.

**Important :**


Veillez joindre les radiographies en cas de prothèses ou de traitement canaux, ainsi que le bilan de l'ODF.

#### SOINS DENTAIRES

Dents  
Traitées

Nature des  
Soins

Coefficient



COEFFICIENT  
DES TRAVAUX

MONTANTS  
DES SOINS

DEBUT  
D'EXECUTION

FIN  
D'EXECUTION

#### O.D.F. PROTHESES DENTAIRES

#### DETERMINATION DU COEFFICIENT MASTICATOIRE

H		G	
25533412	21433552		
00000000	00000000		
D			
00000000	00000000		
35533411	11433553		
	B		

**[Création, remont, adjonction]**


Fonctionnel, Thérapeutique, nécessaire à la profession

COEFFICIENT  
DES TRAVAUX

MONTANTS  
DES SOINS

DATE DU  
DEVIS

DATE DE  
L'EXECUTION



VISA ET CACHET DU PRATICIEN ATTESTANT LE DEVIS

VISA ET CACHET DU PRATICIEN ATTESTANT L'EXECUTION

PHARMACIE DE L'AEROGARE MOHAMMED V -  
Casablanca

Docteur Saad BENIDAMOU

0520767070



Facture N° FAC-53590

Date : 04/03/2023

Laaouis Latifa

Maroc

Produit	Qté.	P.U	Total
BIONIME BANDELETTES B25 REF GS300	6	82,50	495,00
BIONIME KIT RIGHTEST BLOOD GLUCOSE MONOTORING SYSTEM EDITION GOLD LIMITEE/25 BAND REF GM300	1	147,00	147,00

Total Organisme	0 DHS
Total Client	642,00 DHS
<b>Total</b>	<b>642,00 DHS</b>

Arrêté la présente facture à la somme de : six cent quarante-deux DHS



IF : 48541438 RC : 490327 ICE : 002685708000077

Tel : 0520767070

Adresse : Hall Public Zone Hors Douane Niveau 1 du Terminal 1 de l'Aéroport Mohammed V ,  
CASABLANCA



LOT

2023-01-29  
212121837**BIONIME**  
Blood Glucose Test Strip**25** PCS (a vial of 25)**GS300**Noble Metal Electrode Strip  
(Smart Code Key included)**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip*For in vitro diagnostic use*  
*For self-testing and professional use*

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



IVD



4°C - 30°C

*Use with Rightest™ GM300*101-2GS300-1G2  
EN**Instruction of use GS300**

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip**Features:**

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**

No. 100, Sec. 2, Daqing St., South Dist.,  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

**BIONIME GmbH**  
Tramstrasse 16, 9442 Berneck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197





LOT

2023-01-29  
212121837

GS300

**BIONIME**  
Blood Glucose Test Strip

25 PCS (a vial of 25)

Noble Metal Electrode Strip  
(Smart Code Key included)**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip*For in vitro diagnostic use*  
*For self-testing and professional use*

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



IVD



4°C - 30°C

**Use with Rightest™ GM300**101-2GS300-1G2  
EN**Instruction of use GS300**

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip**BIONIME**  
Blood Glucose Test Strip**Features:**

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**

No. 100, Sec. 2, Daqing St., South Dist.,  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

**BIONIME GmbH**  
Tramstrasse 16, 9442 Berneck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197



LOT

2023-01-29  
212121837

GS300

**BIONIME**  
Blood Glucose Test Strip

25 PCS (a vial of 25)

Noble Metal Electrode Strip  
(Smart Code Key included)**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip*For in vitro diagnostic use*  
*For self-testing and professional use*

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use

**Use with Rightest™ GM300**101-2GS300-1G2  
EN**BIONIME**  
Blood Glucose Test Strip**Instruction of use GS300**

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip**Features:**

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.,  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

**BIONIME GmbH**  
Tramstrasse 16, 9442 Berneck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197



LOT

2023-01-29  
212121837

GS300

**BIONIME**  
Blood Glucose Test Strip

25 PCS (a vial of 25)

Noble Metal Electrode Strip  
(Smart Code Key included)**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip*For in vitro diagnostic use*  
*For self-testing and professional use*

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use

**Use with Rightest™ GM300**101-2GS300-1G2  
EN**BIONIME**  
Blood Glucose Test Strip**Instruction of use GS300**

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip**Features:**

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**  
No. 100, Sec. 2, Daqing St., South Dist.,  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

**BIONIME GmbH**  
Tramstrasse 16, 9442 Berneck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197



LOT

2023-01-29  
212121837**BIONIME**  
Blood Glucose Test Strip

25 PCS (a vial of 25)

**GS300**Noble Metal Electrode Strip  
(Smart Code Key included)**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip*For in vitro diagnostic use*  
*For self-testing and professional use*

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



IVD



4°C - 30°C

*Use with Rightest™ GM300*101-2GS300-1G2  
EN**BIONIME**  
Blood Glucose Test Strip**Instruction of use GS300**

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip**Features:**

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**

No. 100, Sec. 2, Daqing St., South Dist.,  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

**BIONIME GmbH**  
Tramstrasse 16, 9442 Berneck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197







LOT

2023-01-29  
212121837**BIONIME**  
Blood Glucose Test Strip**25** PCS (a vial of 25)**GS300**Noble Metal Electrode Strip  
(Smart Code Key included)**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip*For in vitro diagnostic use*  
*For self-testing and professional use*

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



IVD



4°C - 30°C

*Use with Rightest™ GM300*101-2GS300-1G2  
EN**Instruction of use GS300**

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

**Rightest™ GS300****BIONIME**  
Blood Glucose Test Strip**Features:**

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

**BIONIME CORPORATION**

No. 100, Sec. 2, Daqing St., South Dist.,  
Taichung City 40242, Taiwan  
Tel: +886 4 23692388  
Fax: +886 4 22617586  
<http://www.bionime.com>  
E-mail: [info@bionime.com](mailto:info@bionime.com)

EC REP

**BIONIME GmbH**  
Tramstrasse 16, 9442 Berneck,  
Switzerland  
E-mail: [info@bionime.ch](mailto:info@bionime.ch)



0197

# RIGHTTEST™

## GM300

Le système de lecture de glycémie



Utilisation très facile



1 Agérable - large bandelette manipulable



2 Moins de douleur - un échantillon sanguin de 1.4 µL suffit



3 Rapide - des résultats en 8 secondes



4 En toute sécurité - vous évitez de toucher l'échantillon



Pour un diagnostic *in vitro*  
Pour auto-surveillance



Risques  
biologiques



Humidité relative pendant le  
service et stockage 10 - 90%



Conserver à une température  
entre 4°C et 30°C (39°F et 86°F)



Utiliser à une température  
comprise entre 10°C et 40°C



BIONIME GmbH

Tramstrasse 16, 9442 Berneck,  
Switzerland

info@bionime.ch

### RIGHTTEST GM300 BLOOD GLUCOSE MONITORING SYSTEM

PART NO.: 99GM300021

SERIAL NO.: 2300UAM6176

STRIP EXP DATE: 2022-11-25

STRIP LOT NO.: 2120C2509

**Manufacturer: BIONIME CORP.**  
No.100, Sec. 2, Daqing St., South Dist.,  
Taichung City 40242, Taiwan

IF PACKAGE CONTAINS STRIPS OR CONTROL SOLUTION,  
PLEASE STORE AT TEMPERATURES UNDER 30°C(86°F). DO NOT FREEZE.

Lancet Manufacturer: SteriLance Medical (SuZhou) Inc.  
No.68 Litanghe Road, Xiangcheng, Suzhou, 215133, China



4 710949 330422