

RECOMMANDATIONS IMPORTANTES A LIRE POUR ACTIVER LES REMBOURSEMENTS ET EVITER LES REJETS

Conditions générales :

- Le cadre réservé à l'adhérent doit être dûment renseigné.
- Le cadre réservé au médecin doit être renseigné par le praticien lui-même notamment la nature de la maladie.
- La validité de la feuille de soins est limitée à 3 mois à compter de la première consultation.
- L'entente préalable est exigée pour toute hospitalisation médicale, chirurgicale, soins dentaires spéciaux, extractions multiples, parodontie orthodontie, prothèses dentaires, prothèses auditives ou orthopédiques ainsi que pour tous les actes effectués en série.
- En cas d'accident, une déclaration précisant les causes et circonstances de l'accident est à joindre à la feuille de soins.

Pharmacie :

- Les vignettes des médicaments doivent être obligatoirement jointes aux ordonnances.
- Pour les médicaments sans vignettes une facture de la pharmacie doit être jointe.

Radiologie et Biologie :

- La facture ainsi qu'une copie des résultats des analyses ou du compte rendu (sous pli confidentiel) doivent être jointes à l'ordonnance médicale pour toute demande de remboursement.
- Un pli confidentiel du médecin prescripteur des analyses ou radios peut être demandé par le médecin conseil de la mutuelle.

Optique :

- L'ordonnance du médecin prescripteur et la facture de l'opticien sont à joindre à la feuille de soins.

Rééducation :

- L'entente préalable renseignée par le médecin prescripteur est exigée avant le début des séances de rééducations.
- Pour le remboursement, la facture et le calendrier des séances effectuées sont à joindre à la feuille de soins.

Dentaire :

- En cas de prothèses ou de traitement canalaires, l'accord préalable renseigné sur la feuille de soins est obligatoire avant le début de traitement.
- La facture doit être jointe à la feuille de soins pour toute demande de remboursement.
- La radio-après soins est obligatoire en cas de prothèses ou de traitement canalaires.

Maladie et Affection Longue Durée ALD et ALC :

- La déclaration de maladie chronique doit être renseignée par le médecin prescripteur et renouvelée tous les 6 mois.

Adresses Mails utiles

- Reclamation : contact@mupras.com
- Prise en charge : pec@mupras.com
- Adhésion et changement de statut : adhesion@mupras.com

La MUPRAS garantit le respect de la loi n° 09-08 relative à la protection des personnes physiques à l'égard du traitement des données à caractère personnel.

MUPRAS : Centre Allal Ben Abdellah - 6ème Etage Angle Rue Mohamed Fakir et Rue Allal Ben Abdellah - Quartier de l'Horloge Casablanca 20000 - Tél. : 05 22 20 45 45 (LG) - Fax : 05 22 22 78 18 - www.mupras.com

M22- N° 004780

Maladie

Dentaire

Optique

Autres

Cadre réservé à l'adhérent (e)

Matricule : **5079** Société :

Actif

Pensionné(e)

Autre :

Nom & Prénom : **ASSAB ABDALLAH** Date de naissance : **1951**

Adresse : **CASA**

Tél. : **0662 207348** Total des frais engagés : **6651,10** Dhs

Cadre réservé au Médecin

Cachet du médecin :

Dr ASIMOUN Ahmed
Spécialiste des Maladies de l'Appareil
Digestif et Aérien
d'Endocrinologie et Diabète
Place de l'Indépendance, Bd.
Rue Hassan II, Casablanca 20000
Téléphone : 05 22 20 45 45 (LG)
Fax : 05 22 22 78 18

Date de consultation : **18 AVR 2023**

Nom et prénom du malade : **ASSAB Abdellah** Age :

Lien de parenté : Lui-même Conjoint Enfant

Nature de la maladie : **Diabète en cours + Maladie**

Affection longue durée ou chronique : ALD ALC Pathologie : **Diabète en cours**

En cas d'accident préciser les causes et circonstances :

Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous pli confidentiel à l'attention du médecin conseil de la Mutuelle.

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Le : **18/04/2023**

CASABLANCA MUPRAS

18/04/2023

Le : 18/04/2023

RELEVE DES FRAIS ET HONORAIRES

EXECUTION DES ORDONNANCES

Cachet du Pharmacien	Date	Montant de la Facture
PHARMACIE LA RÉSIDENCE Dr. ZOUTEIN Hassan 149, Avenue Bd de l'Indépendance et Rue Luhcon Oulad - Casablanca Tel: 0522 44 77 80	<u>18/04/2023</u>	<u>5683,90</u>
Pharmacie REGIONALE TAZI Adnane Liberte	<u>18/05/2023</u>	<u>99,20</u>

ANALYSES - RADIOGRAPHIES

AUXILIAIRES MEDICAUX

RELEVE DES FRAIS ET HONORAIRES

Le praticien est prié de préciser la dent traitée, l'acte pratiqué en indiquant la nature des soins.

Important :

Veuillez joindre les radiographies en cas de prothèses ou de traitement canalaires, ainsi que le bilan de l'ODF.

SOINS DENTAIRES	Dents Traitées	Nature des Soins	Coefficient	
				COEFFICIENT DES TRAVAUX
				MONTANTS DES SOINS
				DEBUT D'EXECUTION
				FIN D'EXECUTION

O.D.F
PROTHESES DENTAIRES

DETERMINATION DU CŒFFICIENT MASTICATOIRE

H	
D	E
25533412	21433552
00000000	00000000
00000000	00000000
35533411	11433553

[Création, remont, adjonction]

The diagram illustrates a dental arch with upper and lower teeth. The upper arch has teeth numbered 1 through 8 from left to right. The lower arch has teeth numbered 1 through 8 from right to left. A horizontal arrow labeled 'D' points to the left, and a vertical arrow labeled 'G' points downwards, defining a coordinate system.

VISA ET CACHET DU PRATICIEN ATTESTANT LE DEVIS

VISA ET CACHET DU PRATICIEN ATTESTANT L'EXECUTION

Dr ASMOUN Ahmed

SPECIALISTE DES MALADIES DE L'APPAREIL DIGESTIF

ESTOMAC, FOIE, INTESTIN

Chirurgie anale: Hérmoroides, Fistules, Fissures

Endoscopie digestive

Ex ASSISTANT TITULAIRE D'ENDOCRINOLOGIE ET DIABETE

Ex. ENSEIGNANT A LA FACULTE DE MEDECINE DE

CASABLANCA

الدكتور أسمون أحمد

إختصاصي في أمراض الجهاز الهضمي

جراحة المخرج والبواشر

داخلي سابق بقسم أمراض السكر والغدد

مدرس سابق بكلية الطب

بالدار البيضاء

Casablanca le : 18 AVR 2023 الدار البيضاء في :

ASSAS ANSAR

37,60



- Diprosalut

LOT 222715 1
EXPIRE 03 2025
PPV 62/50

62,50

- Uris pos



LOT : 786
PER : OCT 2025
PPV : 37 DH 60

$13,40 \times 4 = 53,60$

- Uva Myrox



$6,10 \times 4 = 24,20$

- Uva Myrox



صيدلانية
PHARMACIE LA RÉSIDENCE
Dr. ZOUHRA E Hassan
149, Avenue Ben Youcef Résistance
et Rue Lahcen Ouladour - Casablanca
Tél: 0522 44 57 50

8, Bd Khouribga N° 10 - 2^{ème} Etage Tél : 05 22 31 58 41 / 50 - Fax : 05 22 31 58 50

ICE : 002215254000088 - INPE : 091013169

$$559,00 \times 5 = 2795,00$$

No Novo Mix. 30 fca a flacon

3.1.

30 U/ml ml/ml
30 U/ml ml/ml

$$571,00 \times 3 = 1713,00$$

- NovoRapid per 3ml

3.1.

$$99,50 \times 10 = 995,00$$


- Ban Shabb N. 10

~~Dr. ASMOUIN Ahmed
Spécialiste en maladies de l'endocrinologie et de la diabète
Place des Martyrs 1000 Casablanca
Khouribga 2ème Ligne Darb Omar
Casablanca Tél: 022.31.58.50/48~~

3.1.

€ 683,90

~~13/12/2011
PHARMACIE LA RÉSIDENCE
Dr. ZOUISSI Hassan
et Rue Lekhlaoui Chellah
Casablanca 267 60~~



BIONIME
Blood Glucose Test Strip

2024-04-05

[LOT] 212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

RIGHTEST™ GS300

For *in vitro* diagnostic use

For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high precision and accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsesegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

LOT
212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

RIGHTEST™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use
For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



BIONIME
Blood Glucose Test Strip

Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsessegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

LOT
212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

RIGHTEST™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use
For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



BIONIME
Blood Glucose Test Strip

Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsessegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

[LOT] 212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

RIGHTEST™ GS300

For *in vitro* diagnostic use

For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsesegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

LOT
212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

RIGHTEST™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use
For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



BIONIME
Blood Glucose Test Strip

Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsessegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

[LOT] 212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)


RIGHTEST™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use
For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



BIONIME
Blood Glucose Test Strip

Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsessegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

LOT
212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

RIGHTEST™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use
For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



BIONIME
Blood Glucose Test Strip

Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsessegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

LOT
212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

RIGHTEST™ GS300

For *in vitro* diagnostic use

For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



BIONIME
Blood Glucose Test Strip

Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsesegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

[LOT] 212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)


RIGHTEST™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use
For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



BIONIME
Blood Glucose Test Strip

Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsessegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

BIONIME
Blood Glucose Test Strip

2024-04-05

[LOT] 212250505



BIONIME
Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)


RIGHTEST™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use
For self-testing and professional use

- Store at temperature 4 - 30°C (39 - 86°F) and RH 10 - 90% relative humidity
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with RIGHTEST™ GM300

101-2GS300-1Q0
EN

BIONIME
Blood Glucose Test Strip

Instruction of use GS300



1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

RIGHTEST™ GS300



BIONIME
Blood Glucose Test Strip

Features:

- User friendly design.
- Only 1.4 μ l. blood sample required.
Less blood means less pain.
- Noble metal Electrode Strip performs high. Precision and Accuracy.

BIONIME CORPORATION

No. 100, Sec. 2, Daging St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
Email: info@bionime.com
<http://www.bionime.com>

EC REP
Emergo Europe
Prinsessegracht 20
2514 AP The Hague
The Netherlands
Email: EmergoVigilance@ui.com



0197

8-9670-73-270-2

NovoRapid® FlexPen®

100 U/ml

Solution injectable

5 stylos pré-remplis de 3 ml

PPV : 571,00 DHS



6 118001 121304

8-9674-73-270-2

NovoMix® 30 FlexPen®

100U/ml

Suspension injectable

5 stylos pré-remplis de 3ml

PPV : 559 DH



6 118001 121298

8-9674-73-270-L

NovoMix® 30 FlexPen®

100U/ml

Suspension injectable

5 stylos pré-remplis de 3ml

PPV : 559 DH



6 118001 121298

NovoMix® 30 FlexPen®

100U/ml

Suspension injectable

5 stylos pré-remplis de 3ml

PPV : 559 DH



6 118001 121298

NovoMix® 30 FlexPen®

100U/ml

Suspension injectable

5 stylos pré-remplis de 3ml

PPV : 559 DH



6 118001 121298

8-9674-73-270-2

NovoMix® 30 FlexPen®

100U/ml

Suspension injectable

5 stylos pré-remplis de 3ml

PPV : 559 DH



6 118001 121298



6 118001 102006

Levothyrox® 25 µg,

Comprimés sécables B/30

PPV: 6,80 DH



6 118001 102006

Levothyrox® 25 µg,

Comprimés sécables B/30

PPV: 6,80 DH



6 118001 102006

Levothyrox® 25 µg,

Comprimés sécables B/30

PPV: 6,80 DH



6 118001 102006

Levothyrox® 25 µg,

Comprimés sécables B/30

PPV: 6,80 DH

7862160335



6 118001 102013

Levothyrox® 50µg,

Comprimés sécables B/30

PPV: 13,40 DH

7862160336



6 118001 102013

Levothyrox® 50µg,

Comprimés sécables B/30

PPV: 13,40 DH

7862160336



6 118001 102013

Levothyrox® 50µg,

Comprimés sécables B/30

PPV: 13,40 DH

7862160336



118001 102013

Levothyrox® 50µg

Comprimés sécables

PPV: 13,40 DH

7862160336

Dr ASMOUN Ahmed

SPECIALISTE DES MALADIES DE L'APPAREIL DIGESTIF

ESTOMAC, FOIE, INTESTIN

Chirurgie anale: Hérmoroides, Fistules, Fissures

Endoscopie digestive

Ex ASSISTANT TITULAIRE D'ENDOCRINOLOGIE ET DIABETE

Ex ENSEIGNANT A LA FACULTE DE MEDECINE DE

CASABLANCA

الدكتور أسمون أحمد

إختصاصي في أمراض الجهاز الهضمي

جراحة المخرج وال بواسر

داخلي سابق بقسم أمراض السكر والغدد

مدرس سابق بكلية الطب

بالدار البيضاء

Casablanca le : 18.05.23 الدار البيضاء في :

ASSAS AB Ahmed



PPV: 49,60 DH
LOT: 23A31
EXP: 01/2026

49,60 x 2

- Dunn 1/2 Dunn 1/2

99,20

PPV: 49,60 DH
LOT: 23A31
EXP: 01/2026

INP 092050244



Pharmacie REGIONALE
TAZI Adnane
80, Bd. de la Liberté
Casablanca
Tél: 0522 31 33 94

Dr. ASMOUN Ahmed
Spécialiste des Maladies de l'Appareil
Digestif - Assistant Titulaire
d'Endocrinologie et Diabète
Place de la Victoire - 8, Bd.
Khouribga 2ème Etage Derb Omer
Casablanca Tel: 022 31 58 50/41

Dr ASMOOUN Ahmed

SPECIALISTE DES MALADIES DE L'APPAREIL DIGESTIF

ESTOMAC, FOIE, INTESTIN

Chirurgie anale: Hérmoroides, Fistules, Fissures

Endoscopie digestive

Ex ASSISTANT TITULAIRE D'ENDOCRINOLOGIE ET DIABETE

Ex ENSEIGNANT A LA FACULTE DE MEDECINE DE

CASABLANCA

الدكتور أسمون أحمد

إختصاصي في أمراض الجهاز الهضمي

جراحة المخرج والبواسر

داخلي سابق بقسم أمراض السكر والغدد


مدرس سابق بكلية الطب

بالدار البيضاء

Casablanca le : 18 AVR 2023 الدار البيضاء في :

A S S A B A h a m m a y
V. T
DOUALAB Dr DADOUNE Loubna
Laboratoire d'Analyses Médicales
138 Lot Habiba Haj fateh Oulata
(rue mosquée Haj fateh) Casablanca
Gsm: +212 623 700 300 Tel: +212 522 900 300
Fax: +212 623 700 300

Dr ASMOOUN Ahmed
Spécialiste des Maladies de l'Appareil
Digestif et du Métabolisme
Chirurgie Anale
Endoscopie digestive
Khartoum 2ème étage
Casablanca



Dr. DADOUNE Loubna
Médecin biologiste

Biochimie - Hématologie - Bactériologie - Immunologie
Parasitologie - Mycologie - Hormonologie - Virologie

مختبر التحاليل الكبيرة دعاء لب

Laboratoire d'analyses médicales DOUALAB

Facture

N° facture 23-4210

Casablanca, le 29/05/2023

Date de prélèvement 29/05/2023


Mr ASSAB Abdellah

Code Acte	Designation Acte	Cotation
VITD	25-OH Vitamine D (D2 + D3)	450

Total B	450
Total en dirhams	618,00

Arrêtée la présente facture à la somme de : Six cent dix-huit dirhams***

DOUALAB
Dr DADOUNE Loubna
Laboratoire d'Analyses Médicales
138 Lot Habib Haj fateh Oulfa
(Prés mosquée Haj Fatah) Casablanca
Gsm: +212 623 700 300 - Tél: +212 522 900 300
Fax: +212 522 900 700



Dr. DADOUNE Loubna
Médecin Biologiste

Biochimie - Hématologie - Bactériologie - Immunologie Parasitologie
Mycologie - Hormonologie - Virologie - Test Covid-19 autorisé

مختبر التحاليل الطبية دعاء للرب

Laboratoire d'analyses médicales DOUALAB

Compte rendu d'analyses

Mr ASSAB Abdellah

Date de naissance : 30/06/1951

Demandé par Dr: ASMOUN AHMED

Prélèvement du: 29/05/2023 9:07

Dossier N° : 290523559

Page : 1 / 1

VITAMINES

25-OH Vitamine D (D2 + D3)

(Technique : ELFA Vidas)

14,50 ng/mL

8,1 (11/10/22)

Interprétation :

Carence vitaminique D : < 20 ng/mL

Insuffisance vitaminique D : 20 - 29 ng/mL

Taux normal : 30 -100 ng/mL

Possible intoxication vitaminique D : > 100 ng/mL

DOUALAB
Dr DADOUNE Loubna
Laboratoire d'Analyses Médicales
138 Lot Habiba Haj fateh Oulfa
(Prés mosquée Haj Fatah) Casablanca
Gsm: +212 523 700 300 - Tél: +212 522 900 300
Fax: +212 522 900 700

Bilan validé Biologiquement Le

138، تجزئة حبيبة الحاج فاتح الألفة (قرب مسجد الحاج فاتح) – الدار البيضاء – الهاتف: (0522) 900 300 – الفاكس: (0522) 900 700

138, Lotissement Habiba Haj Fateh Oulfa (Prés Mosquée Haj Fatah) Casablanca - Tél.: (0522) 900 300 - Fax : (0522) 900 700

Patente : 36225779 - RC : 400950 - IF : 40481510 - CNSS : 9044752 - ICE : 0004353000000002