

RECOMMANDATIONS IMPORTANTES A LIRE POUR ACTIVER LES REMBOURSEMENTS ET EVITER LES REJETS

Conditions générales :

- Le cadre réservé à l'adhérent doit être dûment renseigné.
- Le cadre réservé au médecin doit être renseigné par le praticien lui-même notamment la nature de la maladie.
- La validité de la feuille de soins est limitée à 3 mois à compter de la première consultation.
- L'entente préalable est exigée pour toute hospitalisation médicale, chirurgicale, soins dentaires spéciaux, extractions multiples, parodontie orthodontie, prothèses dentaires, prothèses auditives ou orthopédiques ainsi que pour tous les actes effectués en série.
- En cas d'accident, une déclaration précisant les causes et circonstances de l'accident est à joindre à la feuille de soins.

Pharmacie :

- Les vignettes des médicaments doivent être obligatoirement jointes aux ordonnances.
- Pour les médicaments sans vignettes une facture de la pharmacie doit être jointe.

Radiologie et Biologie :

- La facture ainsi qu'une copie des résultats des analyses ou du compte rendu (sous pli confidentiel) doivent être jointes à l'ordonnance médicale pour toute demande de remboursement.
- Un pli confidentiel du médecin prescripteur des analyses ou radios peut être demandé par le médecin conseil de la mutuelle.

Optique :

- L'ordonnance du médecin prescripteur et la facture de l'opticien sont à joindre à la feuille de soins.

Rééducation :

- L'entente préalable renseignée par le médecin prescripteur est exigée avant le début des séances de rééducations.
- Pour le remboursement, la facture et le calendrier des séances effectuées sont à joindre à la feuille de soins.

Dentaire :

- En cas de prothèses ou de traitement canaux, l'accord préalable renseigné sur la feuille de soins est obligatoire avant le début de traitement.
- La facture doit être jointe à la feuille de soins pour toute demande de remboursement.
- La radio-après soins est obligatoire en cas de prothèses ou de traitement canaux.

Maladie et Affection Longue Durée ALD et ALC :

- La déclaration de maladie chronique doit être renseignée par le médecin prescripteur et renouvelée tous les 6 mois.

Adresses Mails utiles

- Réclamation : contact@mupras.com
- Prise en charge : pec@mupras.com
- Adhésion et changement de statut : adhesion@mupras.com

La MUPRAS garantit le respect de la loi n° 09-08 relative à la protection des personnes physiques à l'égard du traitement des données à caractère personnel.

MUPRAS : Centre Allal Ben Abdellah - 6ème Etage Angle Rue Mohamed Fakir et Rue Allal Ben Abdellah - Quartier de l'Horloge
Casablanca 20000 - Tél. : 05 22 20 45 45 (LG) - Fax : 05 22 22 78 18 - www.mupras.com




Déclaration de Maladie
M23-002459

☐ Maladie ☐ Dentaire ☐ Optique ☐ Autres


Cadre réservé à l'adhérent (e)

Matricule : 4828 Société :
☐ Actif ☐ Pensionné(e) ☐ Autre :
 Nom & Prénom : CHAKIB M
 Date de naissance :
 Adresse :
 Tél. : 067453439 Total des frais engagés : Dhs

Cadre réservé au Médecin

Cachet du médecin : 
 Date de consultation : 22/07/2023
 Nom et prénom du malade : CHAKIB Mohamed Age :
 Lien de parenté : ☐ Lui-même ☐ Conjoint ☐ Enfant
 Nature de la maladie : DIABETE
 Affection longue durée ou chronique : ☐ ALD ☐ ALC Pathologie :
 En cas d'accident préciser les causes et circonstances :
 Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous pli confidentiel à l'attention du médecin conseil de la Mutuelle.

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Fait à : Le :
 Signature de l'adhérent(e) : 

Autorisation CNDP N° : A-A-215 / 2019

Docteur Lamiaa HALLAB

Spécialité en Endocrinologie, Diabétologie
Nutrition et Maladies Métaboliques
Diabète, Pompes à insuline, CGMS, Thyroïde, Hypophyse
Surrénales, Retard de Croissance, Retard Pubertaire....
Echographie Thyroïdienne et Générale
Nutrition et prise en Charge de l'Obésité



الدكتورة لمياء حلاب

اختصاصية في علم الغدد الصم
أمراض السكري، التغذية و أمراض الأيض
السكري مضخة الأنسولين، الغدة الدرقية، الغدة النخامية
الغدة الكظرية، تأخر النمو، البلوغ المتأخر....
الفحص بالصورة
التغذية وعلاج السمنة

Mr CHAKIB Mohamed

M

le

27.07.2023

68,80 x 3

1 ODIA 4 MG

1 cp le matin, avant le repas, pendant 3 mois.

390,00 x 2

2 GALVUS MET 50/1000

1 cp à midi et le soir, au cours du repas, pendant 3 mois.

11,10 x 3

3 BIPRETERAX 5 mg/1,25 mg cp pellic : 1Pilul/30


1 cp le matin, après le repas, pendant 3 mois.

139,50 x 2

4 ACCUCHECK ACTIVE BANDELLETTE+ LANCET

2 gcs par jour, pendant 3 mois.

T = 1598,70



تاريخ الفحص غير قابل للتغيير

Sur Rendez-vous بالموع

Andalous 3, Jasmine office 3. N°1,
1 étage, route Bouskoura - Casablanca

Tél : +212 522 76 7

E-mail : dr.lamiaa.hallab@gmail.com

@ dr.hallablamiaa

EN AR

ACCU-CHEK®

Active

07124112 / 07124155

EN Test Strips

Intended Use

The test strips with the dedicated blood glucose meter are intended to quantitatively measure glucose in fresh capillary, venous, arterial and neonatal blood. They are indicated for self-testing by people with diabetes and for near-patient testing by healthcare professionals.

The dedicated blood glucose meter is the Accu-Chek Active blood glucose meter.

People with diabetes may use fresh capillary blood from the fingertip or alternative sites. Healthcare professionals may also use venous blood anticoagulated with lithium heparin or ammonium heparin or EDTA, arterial blood, and neonatal blood.

The Accu-Chek Active system is indicated to monitor glucose in diabetes mellitus.

The Accu-Chek Active system consists of the Accu-Chek Active meter, the Accu-Chek Active test strips, and the Accu-Chek Active control solutions.

Before You Get Started

Read this package insert and the User's Manual of the Accu-Chek Active blood glucose meter before testing your blood glucose with these test strips. The User's Manual contains all the information you need to perform a test and to understand your test results. If you have any questions, contact customer support.

The package insert contains warnings:

A **WARNING** indicates a foreseeable serious hazard.

Self-testing is not a substitute for visits to your healthcare professional. You must receive proper instruction from a qualified healthcare professional before you start self-testing your blood glucose. Your healthcare professional will determine the appropriate blood glucose target range jointly with you.

The cap of the test strip container contains a non-toxic silicate-based drying agent. If you accidentally swallow any of this, drink plenty of water!

These test strips deliver results that correspond to blood glucose concentrations in plasma as per the recommendation of the International Federation of Clinical Chemistry and Laboratory Medicine (IFCC) [1]. Therefore, your meter displays

blood glucose values that refer to plasma although you always apply whole blood to the test strip.

The normal fasting glucose level for a non-diabetic adult is below 100 mg/dL (5.6 mmol/L). A criterion for the diagnosis of diabetes in adults is a fasting glucose level of 126 mg/dL or higher (7.0 mmol/L or higher) confirmed in two tests [2, 3, 4]. Adults with a fasting glucose level between 100 and 125 mg/dL (5.6 and 6.9 mmol/L) are defined as having impaired fasting glucose (prediabetes) [2]. Other diagnostic criteria for diabetes exist. Consult your healthcare professional to determine if you have diabetes or not.

The User's Manual of the Accu-Chek Active meter includes details on where to get information on the effects and prevalence of diabetes.

WARNING

Risk of suffocation

This product contains small parts that can be swallowed.

Keep the small parts away from small children and people who might swallow small parts.

Contents of the Pack

- 1 or 2 containers with test strips; on the container label is a color chart, the concentration table for the control solutions and the code number
- 1 package insert

Additional Materials Required for Blood Glucose Testing

- Accu-Chek Active meter and User's Manual
- Lancing device and lancets

Blood Volume and Test Time

The meter requires 1–2 µL of blood (1 µL (microliter) = 1 thousandth of a milliliter) per blood glucose test.

If the test strip is in the meter when you apply blood, the test takes approximately 5 seconds.

If you remove the test strip from the meter and then apply blood, the test takes approximately 8 seconds.

Storing and Using the Test Strips Properly

WARNING

Risk of a serious health incident

If the test strips are not stored or used properly, they can deliver incorrect test results. This can lead to a serious health incident.

- Store the test strips at temperatures between +2 and +30 °C in a dry place away from direct sunlight.

Also note the following instructions:

- The drying agent contained in the cap of the test strip container protects the test strips from moisture. Always store the test strips in their original container.



EN AR

ACCU-CHEK®

Active

07124112 / 07124155

EN Test Strips

Intended Use

The test strips with the dedicated blood glucose meter are intended to quantitatively measure glucose in fresh capillary, venous, arterial and neonatal blood. They are indicated for self-testing by people with diabetes and for near-patient testing by healthcare professionals.

The dedicated blood glucose meter is the Accu-Chek Active blood glucose meter.

People with diabetes may use fresh capillary blood from the fingertip or alternative sites. Healthcare professionals may also use venous blood anticoagulated with lithium heparin or ammonium heparin or EDTA, arterial blood, and neonatal blood.

The Accu-Chek Active system is indicated to monitor glucose in diabetes mellitus.

The Accu-Chek Active system consists of the Accu-Chek Active meter, the Accu-Chek Active test strips, and the Accu-Chek Active control solutions.

Before You Get Started

Read this package insert and the User's Manual of the Accu-Chek Active blood glucose meter before testing your blood glucose with these test strips. The User's Manual contains all the information you need to perform a test and to understand your test results. If you have any questions, contact customer support.

The package insert contains warnings:

A **WARNING** indicates a foreseeable serious hazard.

Self-testing is not a substitute for visits to your healthcare professional. You must receive proper instruction from a qualified healthcare professional before you start self-testing your blood glucose. Your healthcare professional will determine the appropriate blood glucose target range jointly with you.

The cap of the test strip container contains a non-toxic silicate-based drying agent. If you accidentally swallow any of this, drink plenty of water!

These test strips deliver results that correspond to blood glucose concentrations in plasma as per the recommendation of the International Federation of Clinical Chemistry and Laboratory Medicine (IFCC) [1]. Therefore, your meter displays

blood glucose values that refer to plasma although you always apply whole blood to the test strip.

The normal fasting glucose level for a non-diabetic adult is below 100 mg/dL (5.6 mmol/L). A criterion for the diagnosis of diabetes in adults is a fasting glucose level of 126 mg/dL or higher (7.0 mmol/L or higher) confirmed in two tests [2, 3, 4]. Adults with a fasting glucose level between 100 and 125 mg/dL (5.6 and 6.9 mmol/L) are defined as having impaired fasting glucose (prediabetes) [2]. Other diagnostic criteria for diabetes exist. Consult your healthcare professional to determine if you have diabetes or not.

The User's Manual of the Accu-Chek Active meter includes details on where to get information on the effects and prevalence of diabetes.

⚠ WARNING

Risk of suffocation

This product contains small parts that can be swallowed.

Keep the small parts away from small children and people who might swallow small parts.

Contents of the Pack

- 1 or 2 containers with test strips; on the container label is a color chart, the concentration table for the control solutions and the code number
- 1 package insert

Additional Materials Required for Blood Glucose Testing

- Accu-Chek Active meter and User's Manual
- Lancing device and lancets

Blood Volume and Test Time

The meter requires 1–2 µL of blood (1 µL (microliter) = 1 thousandth of a milliliter) per blood glucose test.

If the test strip is in the meter when you apply blood, the test takes approximately 5 seconds.

If you remove the test strip from the meter and then apply blood, the test takes approximately 8 seconds.

Storing and Using the Test Strips Properly

⚠ WARNING

Risk of a serious health incident

If the test strips are not stored or used properly, they can deliver incorrect test results. This can lead to a serious health incident.

- Store the test strips at temperatures between +2 and +30 °C in a dry place away from direct sunlight.

Also note the following instructions:

- The drying agent contained in the cap of the test strip container protects the test strips from moisture. Always store the test strips in their original test



Docteur Lamiaa HALLAB

Spécialité en Endocrinologie, Diabétologie
Nutrition et Maladies Métaboliques
Diabète, Pompes à insuline, Thyroïde, Hypophyse
Surrénales, Retard de Croissance, Retard Pubertaire....
Echographie Thyroïdienne et Générale
Nutrition et prise en Charge de l'Obésité



الدكتورة لمياء حلاب

إخصائية في علم الغدد الصم
أمراض السكري، التغذية و أمراض الأيض
السكري مضخة الأنسولين، الغدة الدرقية، الغدة النخامية
الغدة الكظرية، تأخر النمو، البلوغ المتأخر.....
الفحص بالصوم
التغذية وعلاج السمنة

M

Mr CHAKIB Mohamed

- HbA1c GAJ
- Acide urique
- ASAT
- ALAT

LABORATOIRE C.B.A
D'ANALYSES MEDICALES
Dr. AMACHKI Abdelaziz

Dr. LAMIAA HALLAB
ENDOCRINOLOGUE - DIABÉTOLOGUE
N°1, 1^{er} étage, Jasmine Office
Tél: 05 22 76 76 91 / 05 22 76 60 08 81
Route de Bouskoura, Casa

تاريخ الفحص غير قابل للتغيير

بالموعد Sur Rendez-vous

Andalous 3, Jasmine office 3. N°1,
1 étage, route Bouskoura - Casablanca

Tél : +212 522 76 76 91 / +212 662 60 08 81
E-mail : dr.lamiaa.hallab@gmail.com
© dr.hallablamiaa

HORMONOLOGIE - PARASITOLOGIE - MYCOLOGIE - BACTERIOLOGIE - BIOCHIMIE
VIROLOGIE - HEMATOLOGIE - IMMUNOLOGIE - SPERMIOLOGIE

INPE :
093064640

FACTURE N° 5894/23

CASABLANCA le
Nom et prénom
Référence
Médecin prescripteur

22/07/2023
MR CHAKIB MOHAMMED
22A697
Docteur HALLAB LAMIAA

Acte de biologie demandé	Cotation (B)
Hb GLYCOSYLEE. HEMOGLOBINE GLYCOSYLEE HBA1C	100
GLYCEMIE A JEUN	30
ACIDE URIQUE SERIQUE (URICEMIE)	30
TRANSAMINASES GOT+GPT	100
Total du (B)	B 260
Prise de sang (PC)	0,00 DH
Montant en DH	280,00 DH

Arrêtée la présente facture à la somme de: **DEUX CENT QUATRE-VINGT DIRHAMS**

LABORATOIRE CBA
D'ANALYSES MEDICALES
Bd. Imam Chafii N°7 Lot. 23
Lot. 23, Al Hamidia Hay El Qods
Boulevard - Casablanca

HORMONOLOGIE - PARASITOLOGIE - MYCOLOGIE - BACTERIOLOGIE - BIOCHIMIE
VIROLOGIE - HEMATOLOGIE - IMMUNOLOGIE - SPERMIOLOGIE

Prélèvement du : 22/07/2023 à 07:53

Résultats édités le: 22/07/2023



MR CHAKIB MOHAMMED

Dossier N° 22A697


Prescripteur: Docteur HALLAB LAMIAA

Page: 1/2

BIOCHIMIE SANGUINE
(Sur Automate WIENER LAB® CM 250)

GLYCEMIE A JEUN.....: 1,03 g/l
(Technique : Colorimétrie enzymatique) 5,73 mmol/l


Antécédent du 25/04/23 - 08:40 : 1,26 g/l



- 0.70 à 1.10 g/L : Taux normal
- Entre 1.10 et 1.26 g/L : Diminution de la tolérance au glucose
- > 1.26 g/L : Sujet diabétique

ACIDE URIQUE.....: 76,30 mg/l (*) < 70,00
(Technique enzymatique - Uricase -) 453,99 µmol/l < 416,50

Antécédent du 14/04/22 - 10:46 : 69,80 mg/l



Recommandations chez un patient goutteux : taux d'acide urique inférieur à 60 mg/L.
(American College of Rheumatology)

LABORATOIRE C.B.A
D'ANALYSES MEDICALES
Dr. AMACHKI Abdelaziz

HORMONOLOGIE - PARASITOLOGIE - MYCOLOGIE - BACTERIOLOGIE - BIOCHIMIE
VIROLOGIE - HEMATOLOGIE - IMMUNOLOGIE - SPERMIOLOGIE

Prélèvement du : 22/07/2023 à 07:53

Résultats édités le: 22/07/2023



MR CHAKIB MOHAMMED

Dossier N° 22A697

Prescripteur: Docteur HALLAB LAMIAA

Page: 2/2


TRANSAMINASES ASAT/GOT.....: 18,00 U/l 0 à 40
(Technique : Cinétique enzymatique à 37°)

TRANSAMINASES ALAT/GPT.....: 12,00 U/l 0 à 42
(Technique : Cinétique enzymatique à 37°)

HEMOGLOBINE GLYQUEE- HBA1C -
(Technique HPLC sur Automate TOSOH-GX)

HBA1C : 7,2 %

Antécédent du 25/04/23 - 08:40 : 7,0 %



Profil du patient

Sujet non diabétique
Diabète de type 2 traité par antidiabétiques oraux
Diabète de type 2 traité par l'insuline
Patients avec insuffisance rénale chronique
Patients avec antécédents cardio-vasculaires
Diabète de type 1
Femme diabétique enceinte ou envisageant de l'être

HBA1C cible

4 à 6 %
Inf à 6,5 %
Inf à 7 %
Inf à 7,5 %
Inf à 8 %
Inf à 7 %
Inf à 6,5 %

Demande validée biologiquement par: Dr AbdelAziz AMACHKI

LABORATOIRE CBA
D'ANALYSES MEDICALES
Dr. AMACHKI

Total de pages: 2