

RECOMMANDATIONS IMPORTANTES A LIRE POUR ACTIVER LES REMBOURSEMENTS ET EVITER LES REJETS

Conditions générales :

- Le cadre réservé à l'adhérent doit être dûment renseigné.
- Le cadre réservé au médecin doit être renseigné par le praticien lui-même notamment la nature de la maladie.
- La validité de la feuille de soins est limitée à 3 mois à compter de la première consultation.
- L'entente préalable est exigée pour toute hospitalisation médicale, chirurgicale, soins dentaires spéciaux, extractions multiples, parodontie orthodontie, prothèses dentaires, prothèses auditives ou orthopédiques ainsi que pour tous les actes effectués en série.
- En cas d'accident, une déclaration précisant les causes et circonstances de l'accident est à joindre à la feuille de soins.

Pharmacie :

- Les vignettes des médicaments doivent être obligatoirement jointes aux ordonnances.
- Pour les médicaments sans vignettes une facture de la pharmacie doit être jointe.

Radiologie et Biologie :

- La facture ainsi qu'une copie des résultats des analyses ou du compte rendu [sous pli confidentiel] doivent être jointes à l'ordonnance médicale pour toute demande de remboursement.
- Un pli confidentiel du médecin prescripteur des analyses ou radios peut être demandé par le médecin conseil de la mutuelle.

Optique :

- L'ordonnance du médecin prescripteur et la facture de l'opticien sont à joindre à la feuille de soins.

Rééducation :

- L'entente préalable renseignée par le médecin prescripteur est exigée avant le début des séances de rééducations.
- Pour le remboursement, la facture et le calendrier des séances effectuées sont à joindre à la feuille de soins.

Dentaire :

- En cas de prothèses ou de traitement canalaires, l'accord préalable renseigné sur la feuille de soins est obligatoire avant le début de traitement.
- La facture doit être jointe à la feuille de soins pour toute demande de remboursement.
- La radio-après soins est obligatoire en cas de prothèses ou de traitement canalaires.

Maladie et Affection Longue Durée ALD et ALC :

- La déclaration de maladie chronique doit être renseignée par le médecin prescripteur et renouvelée tous les 6 mois.

Adresses Mails utiles

- Réclamation : contact@mupras.com
 Prise en charge : pec@mupras.com
 Adhésion et changement de statut : adhesion@mupras.com

La MUPRAS garantit le respect de la loi n° 09-08 relative à la protection des personnes physiques à l'égard du traitement des données à caractère personnel.

M23- 0028329

Maladie

Dentaire

Optique

Autres

Cadre réservé à l'adhérent(e)

Matricule : 7252

Société : RAM

Actif

Pensionné(e)

Autre :

Nom & Prénom :

Nejmi KHADIJA

Date de naissance :

28/11/1961

Adresse :

LOT WAFA ANI NR 272 DEROUA BERRECHDO

Tél. :

07.07.87.12.60 Total des frais engagés : 344,10 Dhs

Cadre réservé au Médecin

Cachet du médecin :



Date de consultation :

27/09/2023

Nom et prénom du malade :

NEJMI KHADIJA

Age :

Lien de parenté :

Lui-même

Conjoint

Enfant

Nature de la maladie :

Affection plurielle

Affection longue durée ou chronique :

ALD

ALC

Pathologie

En cas d'accident préciser les causes et circonstances :

Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous pli confidentiel à l'attention du médecin conseil de la Mutuelle.

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Fait à : DEROUA

Le : 27/11/2023

Signature de l'adhérent(e) :

RELEVE DES FRAIS ET HONORAIRES

Dates des Actes	Natures des Actes	Nombre et Coefficient	Montant détaillé des Honoraires	Achet et signature du Médecin
27-09-2023	C	1200	1200	DR MÉDECIN GÉNÉRALISTE EN PRATICIEN DE TRAVAIL Dr. LAKOUNE

EXECUTION DES ORDONNANCES

Cachet du Pharmacien ou du Fournisseur	Date	Montant de la Facture
 INPE 002225070 PHARMACIE EL OUMOURIA 244 lotissement El wafa Derouia El Jadida	24.9.23	254.1 =

ANALYSES - RADIOGRAPHIES

AUXILIAIRES MEDICAUX

Cachet et signature du Praticien	Date des Soins	Nombre				Montant détaillé des Honoraires
		A M	P C	I M	I V	

RELEVE DES FRAIS ET HONORAIRES

Le praticien est prié de préciser la dent traitée, l'acte pratiqué en indiquant la nature des soins.

Important :

Veuillez joindre les radiographies en cas de prothèses ou de traitement canalaire, ainsi que le bilan de l'ODF.

SOINS DENTAIRES	Dents Traitées	Nature des Soins	Coefficient	
				Coefficient DES TRAVAUX
				MONTANTS DES SOINS
				DEBUT D'EXECUTION
				FIN D'EXECUTION

O.D.F
PROTHESES DENTAIRES

DETERMINATION DU CŒFFICIENT MASTICATOIRE

H	
25533412 00000000	21433552 00000000
D 00000000 35533411	00000000 11433553

The diagram shows the human mandible (lower jawbone) in an anterior view. Numbered points are marked along the dental arch to indicate specific landmarks for dental measurements:

- 1:** The first point is located at the mesial edge of the upper central incisor.
- 2:** The second point is located at the mesial edge of the upper lateral incisor.
- 3:** The third point is located at the mesial edge of the upper canine tooth.
- 4:** The fourth point is located at the mesial edge of the upper first molar.
- 5:** The fifth point is located at the mesial edge of the upper second molar.
- 6:** The sixth point is located at the mesial edge of the upper third molar.
- 7:** The seventh point is located at the distal edge of the upper second molar.
- 8:** The eighth point is located at the distal edge of the upper first molar.
- 9:** The ninth point is located at the distal edge of the upper lateral incisor.
- 10:** The tenth point is located at the distal edge of the upper central incisor.
- 11:** The eleventh point is located at the distal edge of the upper canine tooth.
- 12:** The twelfth point is located at the distal edge of the upper first molar.
- 13:** The thirteenth point is located at the distal edge of the upper second molar.
- 14:** The fourteenth point is located at the distal edge of the upper third molar.
- 15:** The fifteenth point is located at the distal edge of the lower second molar.
- 16:** The sixteenth point is located at the distal edge of the lower first molar.
- 17:** The seventeenth point is located at the distal edge of the lower lateral incisor.
- 18:** The eighteenth point is located at the distal edge of the lower central incisor.
- 19:** The nineteenth point is located at the distal edge of the lower canine tooth.
- 20:** The twentieth point is located at the distal edge of the lower first molar.
- 21:** The twenty-first point is located at the distal edge of the lower second molar.
- 22:** The twenty-second point is located at the distal edge of the lower third molar.
- 23:** The twenty-third point is located at the mesial edge of the lower first molar.
- 24:** The twenty-fourth point is located at the mesial edge of the lower lateral incisor.
- 25:** The twenty-fifth point is located at the mesial edge of the lower central incisor.
- 26:** The twenty-sixth point is located at the mesial edge of the lower canine tooth.
- 27:** The twenty-seventh point is located at the mesial edge of the lower first molar.
- 28:** The twenty-eighth point is located at the mesial edge of the lower second molar.
- 29:** The twenty-ninth point is located at the mesial edge of the lower third molar.
- 30:** The thirtieth point is located at the mesial edge of the lower first molar.
- 31:** The thirty-first point is located at the mesial edge of the lower lateral incisor.
- 32:** The thirty-second point is located at the mesial edge of the lower central incisor.
- 33:** The thirty-third point is located at the mesial edge of the lower canine tooth.
- 34:** The thirty-fourth point is located at the mesial edge of the lower first molar.
- 35:** The thirty-fifth point is located at the mesial edge of the lower second molar.
- 36:** The thirty-sixth point is located at the mesial edge of the lower third molar.
- 37:** The thirty-seventh point is located at the distal edge of the lower second molar.
- 38:** The thirty-eighth point is located at the distal edge of the lower first molar.
- 39:** The thirty-ninth point is located at the distal edge of the lower lateral incisor.
- 40:** The forty-th point is located at the distal edge of the lower central incisor.
- 41:** The forty-first point is located at the distal edge of the lower canine tooth.
- 42:** The forty-second point is located at the distal edge of the lower first molar.
- 43:** The forty-third point is located at the distal edge of the lower second molar.
- 44:** The forty-fourth point is located at the distal edge of the lower third molar.
- 45:** The forty-fifth point is located at the distal edge of the lower first molar.
- 46:** The forty-sixth point is located at the distal edge of the lower lateral incisor.
- 47:** The forty-seventh point is located at the distal edge of the lower central incisor.
- 48:** The forty-eighth point is located at the distal edge of the lower canine tooth.
- 49:** The forty-ninth point is located at the distal edge of the lower first molar.
- 50:** The fifty-th point is located at the distal edge of the lower second molar.
- 51:** The fifty-first point is located at the distal edge of the lower third molar.

(Création, remont, adjonction)

VISA ET CACHET DU PRATICIEN ATTESTANT LE REVIS

VISA ET CACHET DU PRATICIEN ATTESTANT L'EXECUTION

ORDONNANCE

Hemah Le : 27.09.2023

KHANJA
NESMI

69°⁰⁰' x 2

2. Botanical Soc. of

No. 60
2 - Dolberg
Fix 05.22.53

PHARMACIE EL OUMOUIMA
1944 lotissement el wafaa
Deroua
Fix : 05.22.52

26.5°

5.

Ti 254, 17°

Amarsi(nth).

plexus $\frac{1}{2}$ ep 15 (Lefort 5)

Vibrations

sep madsen
sep madsen

LOT : M0964
PER : 02/2025
PPU : 69,00 DH

LOT : M0917
PER : 12/2024
PPU : 69,00 DH

LOT : 3757
PER : 04 - 26
P.P.V : 10 DH 60

LOT:
A consommer
avant le:

PPC: 79,00 DH

230138
VITAMINE C 1g
Boîte de 20 comprimés effervescents

P.P.V. : 26,50 DH

6 118000 190936

Farmalife
RESEARCH