

RECOMMANDATIONS IMPORTANTES A LIRE POUR ACTIVER LES REMBOURSEMENTS ET EVITER LES REJETS

Conditions générales :

- Le cadre réservé à l'adhérent doit être dûment renseigné.
- Le cadre réservé au médecin doit être renseigné par le praticien lui-même notamment la nature de la maladie.
- La validité de la feuille de soins est limitée à 3 mois à compter de la première consultation.
- L'entente préalable est exigée pour toute hospitalisation médicale, chirurgicale, soins dentaires spéciaux, extractions multiples, parodontie orthodontie, prothèses dentaires, prothèses auditives ou orthopédiques ainsi que pour tous les actes effectués en série.
- En cas d'accident, une déclaration précisant les causes et circonstances de l'accident est à joindre à la feuille de soins.

Pharmacie :

- Les vignettes des médicaments doivent être obligatoirement jointes aux ordonnances.
- Pour les médicaments sans vignettes une facture de la pharmacie doit être jointe.

Radiologie et Biologie :

- La facture ainsi qu'une copie des résultats des analyses ou du compte rendu (sous pli confidentiel) doivent être jointes à l'ordonnance médicale pour toute demande de remboursement.
- Un pli confidentiel du médecin prescripteur des analyses ou radios peut être demandé par le médecin conseil de la mutuelle.

Optique :

- L'ordonnance du médecin prescripteur et la facture de l'opticien sont à joindre à la feuille de soins.

Rééducation :

- L'entente préalable renseignée par le médecin prescripteur est exigée avant le début des séances de rééducations.
- Pour le remboursement, la facture et le calendrier des séances effectuées sont à joindre à la feuille de soins.

Dentaire :

- En cas de prothèses ou de traitement canalaires, l'accord préalable renseigné sur la feuille de soins est obligatoire avant le début de traitement.
- La facture doit être jointe à la feuille de soins pour toute demande de remboursement.
- La radio-après soins est obligatoire en cas de prothèses ou de traitement canalaires.

Maladie et Affection Longue Durée ALD et ALC :

- La déclaration de maladie chronique doit être renseignée par le médecin prescripteur et renouvelée tous les 6 mois.

Adresses Mails utiles

- Reclamation : contact@mupras.com
- Prise en charge : pec@mupras.com
- Adhésion et changement de statut : adhesion@mupras.com

La MUPRAS garantit le respect de la loi n° 09-08 relative à la protection des personnes physiques à l'égard du traitement des données à caractère personnel.

MUPRAS Mutuelle de Prévoyance & d'Actions Sociales de Royal Air Maroc



Déclaration de Maladie

N° W19-478889

☒ Maladie ☐ Dentaire ☐ Optique ☐ Autres

Cadre réservé à l'adhérent (e)

Matricule : 5079 Société :

☐ Actif ☐ Pensionné(e) ☐ Autre :

Nom & Prénom : ASAB ABDALLAH

Date de naissance :

Adresse :

Tél. : 0662 107348 Total des frais engagés : Dhs

Cadre réservé au Médecin

Cachet du médecin :

Date de consultation :

Nom et prénom du malade : Age :

Lien de parenté : ☐ Lui-même ☐ Enfant

Nature de la maladie :

En cas d'accident préciser les causes et circonstances :

Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous pli confidentiel à l'attention du médecin conseil de la Mutuelle.

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Fait à : Le : 23 OCT. 2019

Signature de l'adhérent(e) :

[Signature]

SOINS ET PROTHESES DENTAIRES

Le praticien est prié de présenter la dent traitée, l'acte pratiqué et indiquer la nature des soins.

Veuillez fournir une facture

Veuillez joindre les radiographies en cas de prothèses ou de traitement canaux, ainsi que le bilan de l'ODF.

SOINS DENTAIRES	Dents Traitées	Nature des soins	Coefficient	Coefficient des

O.D.F. Prothèses dentaires	Détermination du coefficient masticatoire	Coefficient des travaux								
	<table border="1"> <tr> <td>25533412</td> <td>21433552</td> </tr> <tr> <td>00000000</td> <td>00000000</td> </tr> <tr> <td>00000000</td> <td>00000000</td> </tr> <tr> <td>35533411</td> <td>11433553</td> </tr> </table>	25533412	21433552	00000000	00000000	00000000	00000000	35533411	11433553	
	25533412	21433552								
	00000000	00000000								
	00000000	00000000								
35533411	11433553									
(Création, Remont, adjonction)										
Fonctionnel, thérapeutique, nécessaire à la profession										

Montant des soins	Date du devis	Fin de

VOLET ADHERENT	NOM :	Mle
DECLARATION N°	W18-399480	
Date de Dépôt	Montant engagé	Nbre de pièces Jointes
Durée de validité de cette feuille est de (3) trois mois		
Il est entendu que le règlement est conditionné par la fourniture de tous les justificatifs exigés par la Mutuelle		



W18-399480

DATE DE DEPOT

...../...../201...

A REMPLIR PAR L'ADHERENT	Mle 5079
Nom & Prénom	ASSAB ABDALLAH
Fonction : RETRAITE	Phones. 0662107348
Mail	assababd@gmail.com

MEDECIN	Prénom du patient	ASS ABDALLAH
Adhérent ☒ Conjoint ☐ Enfant ☐	Age	67
Nature de la maladie	Date	26/02/19
Diabète		
S'agit-il d'un accident : Causes et circonstances		

Nature des actes	Nbre de Coefficient	Montant détaillé des honoraires
05		30000

PHARMACIE	Date	26/02/19
Montant de la facture	4998,60	

ANALYSES - RADIOGRAPHIES	Date	27.09.19
Désignation des Coefficients	Montant détaillé des Honoraires	
B1590	2155,60	

AUXILIAIRES MEDICAUX	Date	
Nombre	Montant détaillé des Honoraires	
AM PC IM IV		

Dr Ghita MAMOU
Spécialiste en Endocrinologie
Diabétologie, Maladies Métaboliques
N° 19
Rue Roudani 23080, Route 4ème Etage N° 19
Casablanca - Tél : 05 22 23 70 71

STEPHARMACIE HAMZA
CASABLANCA
Lot. Maj. fatchi Rue 6 N° 3 Lot. 64
Casablanca - Tél: 0522 93 10 28

LABORATOIRE TAZI
BIOLOGISTE
Tél: 05 22 27 28 08

Dr. Ghita MAMOU

Spécialiste en Endocrinologie, Diabétologie
Maladies métaboliques et Nutrition

Diabète, Cholestérol, Obésité, Thyroïde,
Troubles de la croissance et de la puberté
Pathologies surrénales et hypophysaires

NovoMix® 30 FlexPen®
100U/ml
Suspension injectable
5 stylos pré-remplis de 3ml
PPV : 581 DH



NovoMix® 30 FlexPen®
100U/ml
Suspension injectable
5 stylos pré-remplis de 3ml
PPV : 581 DH



مرض السكري، اختلالات النمو، الغدة الدرقية،

Casablanca, le 26/01/19.

Nom O. Abdallah

581.00 x 4

Novomix 30 Flexpen (SV)

→ 22 UI matin

→ 28 UI soir

647.00 x 2

Novorapid Flexpen (SV)

→ 28 UI midi

13.40 x 3

Levokrox 50

6.80 x 3

Levokrox 25 (SI)

1 cp / J



611 800110201 3
Levokrox® 50µg,
Comprimés sécables B/30
PPV : 13,40 DH



611 800110201 3
Levokrox® 50µg,
Comprimés sécables B/30
PPV : 13,40 DH

COOPER PHARMA

PPV : 6,80 DH

COOPER PHARMA

PPV : 6,80 DH

COOPER PHARMA

PPV : 6,80 DH

120,00 x 11

- Bandolette Brnmmos

6 / 5

STE PHARMACIE HAMZA
CASABLANCA
Lot. Maj fatah rue 6 N° 3 Lot 64
Casablanca - Tél: 0522 93 10 28

44 3mm

4998.60

Dr Chita MAMOU
Spécialiste en Endocrinologie
Diabétologie Maladies Métaboliques
Nutrition
Espace Roudani 230 Bd. Roudani 4ème Etage N° 19
Casablanca - Tél. : 05 22 23 70 71

SV

S.P.

Dr. Ghita MAMOU

Spécialiste en Endocrinologie, Diabétologie,
Maladies métaboliques et Nutrition

Diabète, Cholestérol, Obésité, Thyroïde, Goitre,
Troubles de la croissance et de la puberté
Pathologies surrénaliennes et hypophysaires



الدكتورة غيثة مامو

أخصائية في أمراض الغدد و السكري
أمراض الأيض وطب التغذية

مرض السكري، الكوليستيرول، السمنة
الغدة الدرقية، اختلالات النمو، الغدة النخامية

Casablanca, le : 26/9/19

Nom : Dr. ASSAB Abdallah

ionno laryn

GAT

HbA1c

Chit ur Hm Rb

Ue, Ueal, Alceet

Prude sup

NPS - VS - CRP

TG Hg.

mus alb de 24h.

E CBU.

PSA.

LABORATOIRE TAZI
TAZI Mohamed

78 Rue d'Alger - Casablanca
Tél. 05 22 23 70 71

Dr. Ghita MAMOU
Spécialiste en Endocrinologie
Diabétologie, Maladies Métaboliques
et Nutrition
Espace Roudani 230 Bd. Roudani 4ème Etage N° 19
Casablanca - Tél. : 05 22 23 70 71

LABORATOIRE TAZI D'ANALYSES MEDICALES

78, Rue d'Alger - CASABLANCA

Tél. : 0522 27 28 08 - 27 53 88 - 27 52 39 . Fax : 0522 29 64 86

I.F 40 30 32 50 ICE 001656516000089 INPE: 093001246



T P : 35 504 101 - CNSS : 1121946 - R.C. : 187112 01

Casablanca le 27 septembre 2019

Monsieur ASSAB ABDALLAH

FACTURE N° 300270

Analyses :

Hémato : Numération formule plaquettes -----	B	80	
Hémato : Vitesse de sédimentation -----	B	30	
Chimie : Urée -----	B	30	
Chimie : Glycémie (à jeûn) -----	B	30	
Chimie : Hémoglobine glyquée -----	B	100	
Chimie : Acide urique -----	B	30	
Chimie : Cholestérol total -----	B	30	
Chimie : Cholestérol HDL+LDL -----	B	80	
Chimie : Triglycérides -----	B	60	
Chimie : Créatinine -----	B	30	
Chimie : Ionogramme sanguin -----	B	160	
Chimie : Protéine C réactive -----	B	100	
Hormono : Thyreostimuline (TSH us) -----	B	250	
Marqueurs : PSA Totale -----	B	300	
Chimie : Microalbuminurie de 24h -----	B	100	
Chimie : Débit de filtration glomérulaire -----	B	30	
Bactério : Cytobac. des urines -----	B	150	Total : B 1590

Prélèvements :

Sang-----	Pc	1,5	
-----------	----	-----	--

TOTAL DOSSIER

2 155,60 DH

Arrêtée la présente facture à la somme de :

Deux Mille Cent Cinquante Cinq Dirhams et Soixante Centimes

LABORATOIRE TAZI
TAZI Mohamed
BIOLOGISTE
78, Rue d'Alger - Casablanca
Tél: 05 22 27 28 08 Fax 25 22 29 64 86



TAZI MOHAMED

مختبر التازي للتحليلات الطبية

LABORATOIRE TAZI D'ANALYSES MEDICALES

NF EN ISO 9001:2008

ASCI

CERTIFICAT MA-2015-XIV

QUALITEM

www.ascii-qualitem.fr

TAZI KARIM

PHARMACIENS BIOLOGISTES - DIPLOMES D'ETUDES SPECIALES DE BIOCHIMIE, IMMUNOLOGIE,
HEMATOLOGIE, BACTERIOLOGIE ET VIROLOGIE

Docteur GHITA MAMOU

Monsieur ASSAB ABDALLAH

230, Boulevard Roudani (Ex Route d'El Jadida)

Espace Roudani, 4ème étage, N°19

CASABLANCA

Examen du 27/09/19 - Edité le 27/09/19

Réf. : 19I1438

Page : 5/5

ANALYSES

RESULTATS

UNITES

NORMALES


ANTECEDENTS

BIOCHIMIE (AUTOMATE ROCHE COBAS 6000)

Débit de filtration glomérulaire MDRD

CREATININE ----- 7 mg/l 62 μ mol/l 6 - 12 7

ou



ESTIMATION DE LA FONCTION RENALE

PAR L'EQUATION MDRD ----- 113 ml/mn/1,73 m2

Interprétation

Stades MRC	Définition	DFG (ml/mn/1,73 m2)
1	Pas d'insuffisance rénale	≥ 90
2	Insuffisance rénale légère	60 - 89
3	Insuffisance rénale modérée	30 - 59
4	Insuffisance rénale sévère	< 30

CLAIRANCE ESTIMEE selon la formule de

Cockcroft & Gault ----- 101,0 ml/mn

Interprétation

de 80 à 120 ml/mn	: Valeurs normales
Entre 60 et 80 ml/mn	: Insuffisance rénale légère
Entre 30 et 60 ml/mn	: Insuffisance rénale modérée
< 30 ml/mn	: Insuffisance rénale sévère

LABORATOIRE TAZI
TAZI Karim
BIOLOGISTE
78, Rue d'Alger - Casablanca
Tél: 0522 27 28 08 - Fax: 0522 27 28 09



TAZI MOHAMED

مختبر التآزي للتحليلات الطبية

LABORATOIRE TAZI D'ANALYSES MEDICALES

NF EN ISO 9001:2008

ASCI

CERTIFICAT MA-2015-XIV

QUALITÉM

www.ascii-qualitem.fr

TAZI KARIM

PHARMACIENS BIOLOGISTES - DIPLOMES D'ETUDES SPECIALES DE BIOCHIMIE, IMMUNOLOGIE,
HEMATOLOGIE, BACTERIOLOGIE ET VIROLOGIE

Docteur GHITA MAMOU

Monsieur ASSAB ABDALLAH

230, Boulevard Roudani (Ex Route d'El Jadida)

Espace Roudani, 4^{ème} étage, N°19

CASABLANCA

Réf. : 1911438

Examen du 27/09/19 - Edité le 27/09/19

Page : 4/5

ANALYSES

RESULTATS

UNITES

NORMALES


ANTECEDENTS

HORMONOLOGIE (CHIMILUMINESCENCE COBAS 6000)

T.S.H. Ultra - sensible ----- 2,850 μ UI/ml 0,27 - 4,21

02/03/2019


4,170



MARQUEURS (AUTOMATE ROCHE COBAS 6000)

P.S.A. TOTALE ----- 0,340 ng/ml < 4

0,340





مختبر التازي للتحليلات الطبية

LABORATOIRE TAZI D'ANALYSES MEDICALES

NF EN ISO 9001:2008

ASCI

CERTIFICAT MA-2015-XIV

QUALITÉ

www.ascii-qualitem.fr

TAZI MOHAMED

TAZI KARIM

PHARMACIENS BIOLOGISTES - DIPLOMES D'ETUDES SPECIALES DE BIOCHIMIE, IMMUNOLOGIE,
HEMATOLOGIE, BACTERIOLOGIE ET VIROLOGIE

Docteur GHITA MAMOU

Monsieur ASSAB ABDALLAH

230, Boulevard Roudani (Ex Route d'El Jadida)

Espace Roudani, 4ème étage, N°19


CASABLANCA

Réf. : 19I1438

Examen du 27/09/19 - Edité le 27/09/19

Page : 3/5

ANALYSES	RESULTATS	UNITES	NORMALES	ANTECEDENTS
TRIGLYCERIDES -----	1,14	g/l	0,4 - 1,6	1,28
ou		1,30 mmol/l		
CREATININE -----	7	mg/l	6 - 12	02/03/2019 7
ou		62 µmol/l		



IONOGRAMME SANGUIN

SODIUM -----	141	mmol/l	135 - 145	18/05/2017 141
ou		3,24 g/l	3,1 - 3,33	3,24
POTASSIUM -----	4,5	mmol/l	3,6 - 5,4	4,8
ou		175 mg/l	140 - 210	187
CALCIUM -----	93	mg/l	88 - 106	91
ou		2,33 mmol/l	2,2 - 2,65	2,28
CHLORE -----	101	mmol/l	90 - 110	101
ou		3,48 g/l	3,1 - 3,78	3,48
PROTIDES TOTAUX -----	72	g/l	60 - 84	72
ou		14,9 mmol/l	12,4 - 17,4	14,9
RESERVE ALCALINE -----	26	mmol/l	21 - 31	28
ou		1,58 g/l	1,28 - 1,89	1,71
PROTEINE C REACTIVE -----	1,0	mg/l	< 6	07/08/2013 2,0



TAZI MOHAMED

مختبر التازي للتحليلات الطبية

LABORATOIRE TAZI D'ANALYSES MEDICALES

NF EN ISO 9001:2008

ASCI II

CERTIFICAT MA-2015-XIV

QUALITEM

www.ascii-qualitem.fr

TAZI KARIM

PHARMACIENS BIOLOGISTES - DIPLOMES D'ETUDES SPECIALES DE BIOCHIMIE, IMMUNOLOGIE,
HEMATOLOGIE, BACTERIOLOGIE ET VIROLOGIE

Docteur GHITA MAMOU

Monsieur ASSAB ABDALLAH

230, Boulevard Roudani (Ex Route d'El Jadida)

Espace Roudani, 4^{ème} étage, N°19

CASABLANCA

Réf. : 19I1438

Examen du 27/09/19 - Edité le 27/09/19

Page : 2/5

ANALYSES

RESULTATS

UNITES

NORMALES

ANTECEDENTS

GLYCEMIE A JEUN -----


1,27 g/l

0,70 - 1,10

1,59

ou

7,0 mmol/l



HEMOGLOBINE GLYQUEE - Hb A1 C -----

7,2 %

4 - 6,3

6,9

ACIDE URIQUE -----


65 mg/l

20 - 60

64

ou

387 µmol/l



CHOLESTEROL TOTAL -----


1,48 g/l

1,5 - 2

1,47

ou

3,81 mmol/l



CHOLESTEROL HDL -----

0,50 g/l

> 0,45

0,53

ou

1,29 mmol/l

CHOLESTEROL LDL -----

0,75 g/l

0,98

ou

1,93 mmol/l



TAZI MOHAMED

مختبر التازي للتحليلات الطبية

LABORATOIRE TAZI D'ANALYSES MEDICALES

NF EN ISO 9001:2008

ASCI

CERTIFICAT MA-2015-XIV.

QUALITEM

www.ascii-qualitem.fr

TAZI KARIM

PHARMACIENS BIOLOGISTES - DIPLOMES D'ETUDES SPECIALES DE BIOCHIMIE, IMMUNOLOGIE,
HEMATOLOGIE, BACTERIOLOGIE ET VIROLOGIE

Docteur GHITA MAMOU

Monsieur ASSAB ABDALLAH

230, Boulevard Roudani (Ex Route d'El Jadida)

Espace Roudani, 4ème étage, N°19

CASABLANCA

Réf. : 1911438

Examen du 27/09/19 - Edité le 27/09/19

Page : 1/5

ANALYSES

RESULTATS

UNITES

NORMALES ANTECEDENTS

NUMERATION SANGUINE (AUTOMATE SYSMEX XT-4000i)

HEMATIES -----	3,86	10 ⁶ /mm ³	4,4 - 5,55	3,71
HEMOGLOBINE -----	12,3	g/100 ml	13 - 17	11,4
HEMATOCRITE -----	36,9	%	40 - 50	34,0
- VGM -----	96	μ ³	80 - 95	92
- TGMH -----	32	pg	27 - 33	31
- CGMH -----	32	pg/100 ml		

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.

2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.

Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch



BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300

BIONIME

Blood Glucose Test Strip

For *in vitro* diagnostic use

For self-testing and professional use

- Store between temperature 4°C and 30°C (39°F and 86°F)
- Do not freeze
- Read package insert before using
- Use within 3 months of opening strip vial
- Do not use if expiration date has passed
- Do not use if seals are broken
- Discard test strip properly after single use



Use with **Rightest™ GM300**

101-2GS300-1G2
EN

BIONIME

Blood Glucose Test Strip

Instruction of use GS300

1. Insert the strip into the socket on the top of the meter and wait for the information on the blood glucose meter LCD to appear.



2. After obtaining a blood sample on your finger, gently touch the tip of the strip in order for the blood sample to be absorbed.



Rightest™ GS300



BIONIME

Blood Glucose Test Strip

Features:

- User friendly design
- Only 1.4µL blood sample required
- Less blood means less pain
- Noble metal Electrode Strip performs high Precision and Accuracy

BIONIME CORPORATION

No. 100, Sec. 2, Daqing St., South Dist.,
Taichung City 40242, Taiwan
Tel: +886 4 23692388
Fax: +886 4 22617586
http: //www.bionime.com
E-mail: info@bionime.com

EC REP

BIONIME GmbH
Tramstrasse 16, 9442 Berneck,
Switzerland
E-mail: info@bionime.ch

CE
0197

BIONIME

Blood Glucose Test Strip



LOT

2021-02-25

211912803



BIONIME

Blood Glucose Test Strip

25 PCS (a vial of 25)



GS300

Noble Metal Electrode Strip
(Smart Code Key included)

Rightest™ GS300